



We are happy in our location since 1992, but our growing warehouse will have to be moved to NEW premises. For preparation we need to reorganize and clean out.

Even some of our most wanted and successful tools, because NEW generations will soon be in production. Some absolutely perfect equipment, which has been sitting on our shelves.

Complete production kits ex demo and exhibitions, tested and ready to rumble, with full warranty for the smallest budget.

Some unbelievably useful morsels in our Flea Market offering.

The prices for dedolight are even more attractive here, as we have increased our regular dedolight prices by 15% from September 1, 2022 (after five years of keeping the same prices). That is the equivalent of a 3% price increase per year, but makes this an opportunity that you should not let pass.



# Martin Martin Sta

### CONTENT

Click on the specific categories (digital version, PDF) to navigate directly to the respective section (A-X), or use the bookmark side panel in Acrobat Reader.

Α	dedolight LEDs A1 - SETDLED7-BI-BAT-AB used	Ν	non-focusing LED lights with detachable reflectors
	A2 - 3x DLED7-BI Kit A3 - SETDLED4-BI, SETDLED4-BI-BAT, SETDLED4-BI-BAT-AB	ο	Mini LED Panels
	A4 - 3x DLED4-BI Kit A5 - SETDLED2-D, SETDLED2HSM-D, SETDLED2Y-D A6 - 3x DLED2-BI Kit SLEDM3x0Z-D		Diverse halogen tungsten lights and accessories
	A7 - SETDLED9-BI and SETDLED10-BI A8 - Ledzilla-BI	Q	Lighting accessories and light analyzers
В	dedolight LED softlight	R	Lamps
С	<b>dedolight Classic</b> C1 - dedolight Classic	S	Kino Flo Spare Parts
	C2 - dedolight Classic C2 - dedolight Classic Power options C3 - dedolight Classic Accessories	Т	Various Film Cameras, all functional
	C4 - dedolight Classic Kits	U	Camera Accessories and Grip
D	Classic Lighthead with parallel beam	W	Camera Lenses
Е	Classic Kits NEW	X	Others
F	complete Sets - used		
G	DLH400		
н	Series 200		
Т	Softlights Kits - used		
J	dedolight museum fixture		
К	LED Power Lights K1 - Quadrel 2x2 K2 - 1000W LED Light head, monocolor K3 - Nanlux TK200 K4 - Nanlux TK450 K5 - LEDGO LG-G260 K6 - Dyno 650C K7 - LEDGO G160		
L	LED panels for studio and mobile use		
Μ	Focusing LED lights		

### dedolight LEDs - SETDLED7-BI-BAT-AB ex demo, full warranty


# DLED7-BI

### 2 x 90 W bicolor LED light Currently our worldwide bestseller

- Used from Hollywood big movie to standard equipment from mobile crews
- High precision demands
- Suitable for complete range of precision accessories and creative tools.
- Color temperature range 2800 K to over 6500 K
- The turbo version with whisper fan, practically inaudible
- Focus range 60 degree to 6 degree (1:20)



SETDLED7-BI-BAT-AB	Description	Unit price:	Total:
1× DLED7-BI	Focusing 90VV Turbo LED light head, bicolor	1.169,00€	1.169,00€
1× DT7-BI-BAT-AB	Focusing 90VV Turbo LED light head, daylight incl. power supply, studio edition (90-264 VAC, European cable	506,00€	506,00€
1× DLBCA2-V	Belt adapter for V-Mount batteries with holding plate for DT7-BAT/ DT7-BI-BAT power supplies. DTAP power out socket	103,00€	103,00€
1× DPLS	Light shield ring	7,00€	7,00€
1x DBD8	Standard barn door (eight leaves)	44,00 €	44,00 €
Kit price:			1.829,00€
Special Price:			890,00 €



All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

### dedolight LEDs - DLED7-BI Set

NEW full warranty

### SETDLED7-BI - DLED7 Turbo LED Light Head Set, Bicolor



SETDLED7-BI	Description	Unit Price
DLED7-BI	Focusing 90W TURBO LED light head, bicolor	1.169,00€
DT7-BI	Power supply with digital display for Kelvin values for DLED7-BI TURBO light heads. 90 - 264 V AC {BoOn}(Please specify Cable){BoOff}	486,00 €
DPLS	Light shield ring	7,00€
DBD8	Standard barn door (eight leaves)	44,00 €
Kit price:		1.706,00€
Special Price:		598,00 €

### **Option:**

#### DLPS36-100 **DLBCA2-V** DYN-DS-95SI AC power supply with female D-TAP output Belt adapter for V-Mount batteries with holding V-Lock battery Tecpro Dynacore. connector, 36V / 100W / 2,8A for DT7/ plate for LED BAT power supplies. D-TAP power We recommend this battery, because it comes 9(-BI)-BAT-AB ballasts. 100-240 V AC out socket with a built-in charger and is compact, and it includes a capacity indicator. List Price: 122,00 € List Price: 103,00 € List Price: 257,00 € **Special Price: Special Price:** 59,00 € 66,00 € Special Price: 167,00 € DSC2 DSC1 DSCM DSC1: Soft case, small Soft case, mono DSC2: Soft case, medium (NEW model 2017) (NEW model 2016) List Price: 387,00 € List Price: 458,00 € List Price: 98,00 € 194,00 € 49,00 € **Special Price: Special Price: 229,00 € Special Price:**

# dedolight LEDs - DLED4 Bicolor Sets

States

NEW full warranty

**A3** 



SETDLED4-BI	Description	Unit price:	Total:
1 × DLED4-BI	Focusing LED light head, bicolor	834,00 €	834,00€
] × <b>DT4-BI</b>	"Power supply with digital display for Kelvin values for DLED4-BI (90 - 264 V AC, European cable)"	447,00€	447,00€
1× DPLS	Light shield ring	7,00€	7,00€
1× DBD8	Standard barn door (eight leaves)	44,00 €	44,00 €
Kit price:			1.332,00€
Special Price:		_	865,00 €

SETDLED4-BI-BAT	Description	Unit price:	Total:
1 × DLED4-BI	Focusing LED light head, bicolor	834,00€	834,00 €
Ì × <b>DT4-BI-BAT</b>	DC electronics for DLED4-BI to use with 12V or 24V batteries (10,2 - 18V DC). DDCC cable or DLPS12-60 AC power supply required	394,00 €	394,00 €
1 × DDCC-DTAPS	"DC cable 28 cm / 11"" with Anton/Bauer connector old code: DLOBML-AB-S"(10,2 - 18V DC). DDCC cable or DLPS12-60 AC power supply required	30,00€	30,00 €
1 × DLBCA2-V	Belt adapter for V-Mount batteries with holding plate for DT4-BAT/DT4-BI-BAT power supplies. D-TAP power out socket	103,00€	103,00€
1× DPLS	Light shield ring	7,00€	7,00€
1x DBD8	Standard barn door (eight leaves)	44,00€	44,00 €
Kit price:			1.412,00€
Special Price:		_	917,00 €

1 × DLED4-BI	Focusing LED light head, bicolor	834,00€	834,00 €
List price:			834,00 €
Special Price:			542,00 €

dedolight LEDs - 3x DLED4-BI Kit NEW full warrenty



3x SETDLED4-BI	Description	Unit price:	Total:
3 × DLED4-BI	Focusing LED light head, bicolor	834,00€	2.502,00€
3 x <b>DT4-BI</b>	"Power supply with digital display for Kelvin values for DLED4-BI (90 - 264 V AC, European cable)"	447,00€	1.341,00€
3 x DPLS	Light shield ring	7,00€	21,00€
3 × <b>DBD8</b>	Standard barn door (eight leaves)	44,00 €	132,00€
Kit price:			3.996,00€
Special Price:			2597,00 €

### **Option:**

#### DLPS36-100

AC power supply with female D-TAP output connector, 36V / 100W / 2,8A for DT7/ 9(-BI)-BAT-AB ballasts. 100-240 V AC

### **DLBCA2-V**

Belt adapter for V-Mount batteries with holding plate for LED BAT power supplies. D-TAP power out socket



59,00 €

List Price: 122,00 €

**Special Price:** 

List Price: 103,00 €





DYN-DS-95SI

V-Lock battery Tecpro Dynacore.

includes a capacity indicator.

We recommend this battery, because it comes

with a built-in charger and is compact, and it





# DLED2-D - NEW full warranty

SETDLED2-D	Description	Unit price:	Total:
1 × DLED2-D	Focusing 20W LED daylight light head with 16mm (5/8") receptacle and build-in electronics	635,00€	635,00€
1 × DLED2-BS	Battery holder SONY NP-F for DLED2 and DLED2HSM models with built-in electronics (DLB-NPF950 recommended)	22,00 €	22,00€
1 × DBDS8	Standard 8-leaf barn door for DLED2 light heads	42,00 €	42,00€
1 x <b>DLPS12-30</b>	AC power supply 12V / 30W / 2.5A, incl. EU/USA/UK/AUS input connector set	61,00€	61,00€
Kit price:			760,00€
Special Price:			494,00 €

SETDLED2HSM-D	Description	Unit price:	Total:
1 × DLED2HSM-D	Focusing 20W LED daylight light head with shoe mount for video cameras and build-in electronics	646,00€	646,00 €
1 × DLED2-BS	Battery holder SONY NP-F for DLED2 and DLED2HSM models with built-in electronics (DLB-NPF950 recommended)	22,00€	22,00€
1 × DBDS8	Standard 8-leaf barn door for DLED2 light heads	42,00€	42,00 €
1 × DLPS12-30	AC power supply 12V / 30W / 2.5A, incl. EU/USA/UK/AUS input connector set	61,00€	61,00€
Kit price:			771,00€
Special Price:			499,00 €

SETDLED2Y-D	Description	Unit price:	Total:
1 × DLED2Y-D	Focusing 20W LED daylight light head with yoke and 16mm (5/8") receptacle. Separate DT2-BAT electronics needed.	528,00€	528,00€
1 × <b>DT2-BAT</b>	DC electronics for DLED2Y-D/-T and DLED2YHSM-D/-T light heads to use with 12V or 24V batteries. To be used with LEDZILLA battery cables	190,00€	190,00 €
1 × DLED2POW1.4	DT2-BAT / DT2-BI-BAT cable to light head, 140cm long	50,00 €	42,00€
1 x DBDS8	Standard 8-leaf barn door for DLED2 light heads	42,00 €	42,00€
1 × <b>DLPS12-30</b>	AC power supply 12V / 30W / 2.5A, incl. EU/USA/UK/AUS input connector set	61,00€	61,00€
Kit price:			871,00€
Special Price:		_	566,00 €

**A5** 

dedolight LEDs - 3x DLED2-BI Kit SLEDM3x0Z-D - NEW full warranty



SLEDM3x0Z-D	Description	Unit price:	Total:
3 × DLED2-D	Focusing 20W LED daylight light head with 16mm (5/8") receptacle and build-in electronics	635,00€	1.905,00 €
3 × DLED2-BS	Battery holder SONY NP-F for DLED2 and DLED2HSM models with built-in electronics (DLB-NPF950 recommended)	22,00 €	66,00€
3 x DBDS8	Standard 8-leaf barn door for DLED2 light heads	42,00 €	126,00 €
1 × <b>DP1S</b>	Universal projection attachment/imager incl. 60mm lens for DLED2 LED light heads.	248,00 €	248,00 €
] × <b>DPL60M</b>	Imager lens, 60 mm, f 2.4		
1 × DPGHS	Holder for steel gobos (dedolight "S-size")	44,00 €	44,00 €
1 × DPGSETS	Gobo set for DP1S imagers	167,00€	167,00€
$2 \times \text{DLED2-SBX}$	Soft box for DLED2 LED light heads	48,00 €	96,00 €
2 × <b>DLSR60</b>	Speedring for DLED2 soft box, fits DLED2 accessory slot	33,00 €	66,00 €
3 × <b>DLPS12-30</b>	AC power supply 12V / 30W / 2.5A, incl. EU/USA/UK/AUS input connector set	61,00€	183,00€
3 x DDCC-EXT5	Extension cable for 12V power supply, 5m long	23,00€	69,00 €
3 x <b>DLB-NPF950</b>	7.4 V Li-Ion battery 43.2 Wh (6000 mAh)	71,00 €	213,00 €
3 × DLCH-NPF	Charger for NPF batteries, input 100 - 240 V AC	28,00€	84,00 €
1 × DSCS	Soft case, small	140,00€	140,00 €
1 x SDSTM3	Extra stand kit with 3x DSTM, 2x DSTFX40 and soft bag	523,00€	523,00€
Kit price:			3.930,00 €
Special Price:		2	.554,00 €

**A6** 

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.



CA-

P

K KK





### SETDLED9-BI

SETDLED9-BI	Description	Unit price:	Total:
1 x DLED9-BI	Focusing LED light head, bicolor	1.385,00€	1.385,00€
1 x <b>DT9-BI</b>	Power supply with digital display for Kelvin values for DLED9-BI (90 - 264 V AC, European cable)	483,00€	483,00€
] × <b>DPLS400</b>	Light shield ring (Series 400)	22,00€	22,00€
1 × <b>DBD400</b>	Barn door (Series 400)	120,00€	120,00€
Kit price:			2.010,00€
Special Price:			1299,00 €

# DLED10-BI

full warranty



### **DLED10-BI Demo-/Used equipment Sets**

No. 619	Description		
1× DLED10-BI LED	Light head bicolor	1× <b>DPLS400</b>	Light shield ring
1× <b>DT10-BI</b>	Ballast bicolor and mains cable	1x DBD400	8-leaf barn door
1x DPOW10	Cable to light head	1x DSC1/1-200-L	Case
Like NEW			

**Special Price:** 

**A7** 

# dedolight LEDs - Ledzilla Bicolor with optional accessories

### EDZILLA

- Color temperature can be adjusted in a very wide range, from 2700K all the way to 6500K. This light may be adjusted to all ambient light situations.
- Most LED Bicolor lights have only half the light out when set to daylight or tungsten. The Ledzilla Bicolor utilizes an LED array which produces a full 8 W in both daylight and tungsten positions.
- In a Bicolor LED light, the tungsten position is generally 25-30% weaker than in daylight. The multichip light source of the Bicolor Ledzilla utilizes 9 mini-chips arranged in a checkerboard pattern. We use 5 chips in the tungsten position and 4 chips in the daylight position. This results in a nearly equal light output in both daylight and tungsten positions.
- Regardless of the settings of the color temperature, the light output is smoothly dimmable all the way down to full zero, without any ,digital' steps.

- A bayonet attachment allows the interchangeability of the front optical elements with front-end accessories, like the soft box, the China lantern and the soft tube
- All the power options are identical with the options described for the Ledzilla2.
- The Ledzilla Bicolor features perfect color values. In daylight – CRI92, in tungsten setting – CRI97 (TLCI).

#### **DLOBML-BI** Ledzilla Bicolor as measured in daylight position 5600K

D'alama	Meter	1	2	3	4	5	10
Distance	Feet	3'	6'	9'	12'	15'	30'
Flood	Lux	330	83	37			
FIOOD	Foot Candle	31	7.7	3.4			
Medium	Lux	726	182	81	45		
Ivleatum	Foot Candle	67	17	7.5	4.2		
C I	Lux	2,650	663	294	166	106	
Spot	Foot Candle	246	62	27	15	9.9	
Bicolor in tungsten function ~ 15% lower output							

#### List Price: 409,00 €

#### **DLOBML-BI Special Price:**

Version without the flip-up wide-angle optics, but with 8-leaf barn door

#### List Price: 409,00 €

### **DLOBML-BIWA Special Price:**

Ledzilla bicolor WA: The Ledzilla bicolor has 2 barn door leaves and the "flip-up' wide-angle optics

Options for Ledzilla2 and Bicolor: Soft-Tube, Soft Box, White Dome Attach by front end bayonet mount

**DLOBML-SBX12 Soft box** 



### Special Price: 55,00 €

 $5''/12\,{\rm cm}$  wide – Gentle fill light, easy to look at, ideal for close ups. Filter slot accepts tungsten conversion filter.

### DLOBML-WD15 White dome



Special Price: 68,00 €

 $5.9^{\prime\prime}/15 \times 15$  cm (china lantern) soft box, gentle light, evenly distributed, perfect as general fill light. Side covers can be opened individually.

#### DLOBML-LT20 Soft tube



8"/20cm long – Ideal for soft light in confined areas, e.g., car interior at night. Detachable light shaper – folding plastic barn doors.

265.00 €

265,00 €

# dedolight LEDs - Mounting & Accessories

### **Camera Adapter**

**A8** 

DLA-LB	DLGA300	DLGA200	DLBSA-MBJ
Large bone 2 x female camera shoes and 3 x 1/4" threads. Mounts to camera with 1/4" screw	Articulating arm 300 mm, square top with 1/4" thread, camera shoe or 1/4" screw to camera	<ul> <li>Articulating arm 200 mm, square top with 1/4" thread, camera</li> <li>shoe or 1/4" screw</li> <li>to camera</li> </ul>	
List Price: 122,00 € Special Price: 36,00 €	List Price: 99,00 € Special Price: 55,00 €	List Price: 79,00 € Special Price: 44,00 €	List Price: 25,00 € Special Price: 14,00 €
DLBSA-U	DLBSA-3S	Stand Adaptor	
Square top with 1/4" thread, ends in camera shoe	Triple female camera shoe with tilt lock	Stand Adapter DLA-ML	DLBSA-JSF
		Stand adapter, square top with 1/4" thread accepts 16 mm baby stud (5/8")k	Stand adapter, camera shoe accepts 16 mm baby stud (5/8")
List Price: 22,00 €	List Price: 26,00 €	List Price: 26,00 € Special Price: 14,00 €	List Price: 21,00 € Special Price: 11,00 €
Special Price: 12,00 €	Special Price: 14,00 €		

### **Stand Alone**

DLBSA-TS	DLBSA-HAND	DLBRHS	DV3GA	DLBRS
Table support 9.5 x 6.3 x 1.2 cm (3.7" x 2.5" x 0.5" ), accepts camera shoe	Handle with female	Rail with folding handle 1/4" screw for camera and female camera shoe for light head	Vacuum mount Ø 7,5 cm / 3" with 200 mm articulating arm	Rail with 1/4" screw for camera and female camera shoe for light head
A				
List Price: 9,00 €	List Price: 35,00 €	List Price: 62,00 €	List Price: 176,00 €	List Price: 55,00 €
Special Price: 5,00 €	Special Price:19,50 €	Special Price: 35,00 €	Special Price: 99,00 €	Special Price: 30,00 €

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

### dedolight LEDs - Power Supply

### **Battery Holder Plates:**

**DLOBML-BP3** for 7.2 V Sony for NP-F/Panasonic VW-VBD1

List Price: 20,00 € Special Price: 11,00 €

**DLOBML-BSV** for 7.2 V Sony NP-FV List Price: 82,00 € Special Price: 46,00 €

**DLOBML-BSU** for 12 V Sony for BP-U List Price: 74,00 € Special Price: 41,00 €

### **DLOBML-BP2**

light head

for 7.2 V Panasonic for VW-VBG6

List Price: 74,00 €

**DLOBML-BP3** for 7.2 V Panasonic for VW-VBG 070/130/260, CG A-DU07/14/21 List Price: 74,00 € Special Price: 41,00 €

**DLOBML-BP4** for 7.2 V Panasonic VW-VDB List Price: 103,00 € Special Price: 41,00 €

**DLOBML-BC** for 7.2 V Canon for BP-9 List Price: 103,00 € Special Price: 57,00 € **DLOBML-PBC1** 

for 7.2 V Canon for LP-E6 List Price: 82,00 € Special Price: 46,00 €

**DLOBML-BC2** for 7.2 V Canon for BP 808/809/819 List Price: 74,00 €

Special Price: 41,00 € **DLOBML-PBC1** for 7.2 V Canon for LP-E6

Photo Battery Shoe:

List Price: 82,00 € Special Price: 46,00 €

**DLOBML-PBN1** 

for 7.2 V Nikon for EN-EL3E List Price: 82,00 € Special Price: 46,00 €


### **DLOBML-PBN2**

for 7.2 V Nikon for EN-EL15 List Price: 82,00 € Special Price: 46,00 €

### **DLOBML-PBP1**

for 7.2 V Panasonic for DMW-BIF19F

List Price: 85,00 € Special Price: 47,00 €



Tel +49 (0)89 - 356 16 01 /info@dedoweigerffilm.de / www.dedoweigerffilm.de

A8

### dedolight LEDs - Power Supply

STAL STAL

1

### **Belt Adapter**

#### **DLBCA-NPF**

battery on a belt

NPF Adapter

**A**8

#### **DLBCA-NPF**

List Price: 82,00 €

**Special Prices** 

V-Mount belt adapter without ballast holder, separate extension cable to light head needed

SA P



46,00 €

### **DLBCA-AB**

Anton/Bauer-Mount belt adapter without ballast holder, separate extension cable to light head needed



**Special Price** 

41,00 €


14,50 €

15,00 €

List Price: 53,00 €

**Special Price:** 28,00 €

Belt holder with Velcro loop to carry NPF



List Price: 42,00 €

**Special Price:** 

14,50 €

List Price: 28,00 €

**Special Price:** 

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

23,00 €

aaanaa

List Price: 32,00 €

**Special Price:** 

dedolight LED softlight - Brand-NEW, full warranty

# **LEDRAPTOR BASIC**

Bicolor 2x220 Watt 2700-6500 K passive cooling No fan, no noise

### This special price includes:

- the imager/projection attachment, 185 mm projection lens
- Universal receptacle for gobos and filters

For other devices visit our website or inquire.

### **Complete set including:**

- 1,5 m reflector (5 feet)
- carrying bag for reflector
- Cable and DMX control bicolor ballast

### 3 diffusors:

- with large front diffusor.
- Two types of inner diffusor with different diametres
- Small center spot diffusor, exchangeable for larger inner diffusor, for choice of different light character and light distribution, Accenting the soft character.

### **!!!** List Price: 2.582,00 €



More details

page 16

R

### LED Softlight, 2 x 220W bicolor capability

- Salt

2x220W, Bicolor 2700-6500K, CRI Ra (3200) 96, CRI Ra (5600) 97, TLCI (3200) 97, TLCI (5600) 96

Length: ca. 57 cm / 22,44" Weight: 9 kg / 19,8 lb

### Set consisting of:

- Lighthead passiv cooling
   no fan no noise
- Ballast DT10BI DMX
- Cable lighthead + ballast
   DPOVV10
- AC input cable
- Textile Reflector 5" (1,50 m) PA5
   Incl. 3 Diffusors + pouch



### DT10-BI

Bicolor power supply, AC 90-264V / 50-60HZ, Max. Power: 256 VA, Prot. Class: IP 20 Weight: 2,4 kg / 5.3 lb



B

dedolight Classic - Brand-NEW, full warranty

# THE CLASSIC

THE EXCEPTIONAL OFFER The Evolution of THE CLASSIC

### The DLH4

Continuously improved and expanded functions and accessories.

#### List Price: 331,00 €

**Special Price:** 

- The first and only low-voltage dual-lens system, offering unparalleled benefits.
- The most economical solution and, from the very beginning a totally ecological system (green tech).
- Output approximately compares to a traditional 500 Watt Fresnel.
- Extended lifetime of the lamp (for a fraction of the cost), amortizing the light after approximately one year of use.
- Unequalled focusability 1:25 (small Fresnels focus 1:3, huge Fresnels (6K) focus 1:6).
- Light distribution and light character like no traditional fixture.
- Precision light.
- The clean-beam concept without stray light.
- Suitable for highest demands in special effects (Harry Potter, Lord of the Rings, American Beauty, and many more).
- Indestructible in rough, everyday use.
- First patented application of non-spherical lenses.
- Adding an extra focus movement for even higher spot performance.
- Unequalled optical and light-shaping accessories.
- Culminating in the miraculous PARALLEL BEAM INTENSIFIER, opening the gateway to the dedolight Lightstream system.

188,00 €

saving  $\approx 43\%$ 

### dedolight Classic Power options

### Brand-NEW, full warranty – the Best of the Best Special Offer valid in combination with purchase of light-head (S)

CARE ARENT

#### DT24-1 DT12-4 **DT24-3 DIMTA3** Compact multi-functional Electronic transformer for Electronic power supply, Compact universal power power supply, three lights switchable 230/240 Volt. input 230/240 Volt only. supply. Input adjustable 24 Volt, 150 Watt. AC Choose settings 3.400 Kelvin Output for 12 Volt, anywhere worldwide. Output input selection for worldwide or 3.200 Kelvin, or full 100 Watt lamps. for four light heads 12 Volt, application. dimming. 100 Watt. Output switchable 3.000 / 3.200 / 3.400 Kelvin for Color temperature each output individually. selectable/switchable 3.000/3.200/3.400 Kelvin. saving ≈ 44% saving $\approx 43\%$ saving ≈ 44% saving $\approx 44\%$ List Price: 764,00 € List Price: 229,00 € List Price: 123,00 € List Price: 720,00 € Special Price: 129,00 € ecial Price: 70,00 € Special Price: 406,90 € Special Price: 432,00 €

### **Accessories & Optical Accessory**

### DBD8

8-leaf barndoor



### DPLS

Light-shield ring, eliminates stray light, when no filter is used.



### DLWAR

Non-spherical, wide-angle attachment. Widens angle to 90 degree. Perfect light and color distribution. Rotating barndoor leaves. Create parallel shadows even when lighting from an acute angle.



**C2** 

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.



# dedolight light head NEW with hardly visible paint blemishes

DLH4, the original dedolight light head, 150 W, low voltage. Our worldwide most successful bestseller, awarded by the Oscar Committee of the Academy of Motion Picture Arts and Sciences. Light output approx. equal to a traditional 500 W Fresnel light

Exceptional focus range of 1:20. Normal Fresnel lights only have 1:3

Clean beam, homogenous light distribution, no stray light Precision lighting system now with double non-spherical optic (patented) with additional focus movement for tightest spot and large reach. Here with minimal paint blemishes Full function, full warranty, brand NEW equipment At this price you will never get this light again

#### List Price: 331,00 €

#### **Special Price:**

saving additional 10%

169,00€

This is a low-voltage light, working with 24 V DC. For power options, look in this brochure at page 18 and for the accessories, see pages 18 and 25 of this brochure.

#### Please note:

These very special prices for the power supplies and accessories shown on pages 18 and 25 are only valid in conjunction with an order for these light heads.

### dedolight Classic

### THE LONG STORY Of the exceptional Classic dedolight

The classic light was continuously improved and expanded in its functions.

The beginning was the LOW-VOLTAGE DUAL LENS SYS-TEM

The most economical solution and also the leader in all ecological aspects (green tech) from the beginning.

- Light output comparable to a traditional 500 Watt Fresnel light.
- Drastically longer lifetime of the lamp at a fraction of the price for high-voltage lamps.
- Thus, the price of the light head amortizes automatically after approximately one year of use.
- Focusability, light distribution and light character unlike anything ever achieved with traditional lights.
- Precision light

### The steps of evolution

- We changed the design of both lenses and upgraded them to a patented, non-spherical system
- 2 We added an extra focus movement, which even improves the already exceptional spot performance.
- 3 We included a light shield inside the light head. Now no longer necessary to use necessary to use lamps with blackened top.

- The clean-beam concept without any stray light. Suffices for the highest demands in special effects (Harry Potter, Lord of the Rings, American Beauty, and many more).
- Indestructible, even if in rough everyday use. I once received a light head which was returned from NDR (North German Television) which had been rolled over by an armoured police car. It was flat like a pancake, but it was still putting out light, only it didn't focus very well anymore.

For 40 years now an indispensable companion of thousands of mobile teams worldwide.

Economically, for us, the long lifetime of these lights is a disaster. They simply don't ever break down.



4 - Imager / Projection attachment Imager/projection attachment

Now even with a movable image plane (like on a view camera). Different variations allow effective, razor-sharp projections from gobos, effect filters and images.

5 - Creation of further perfectly calculated projection lenses from 185, 150, 85, 60, 50 and now also the miraculous 30 mm lens.

We also have two different zoom lenses. A doubleextension tube is part of each projection attachment and allows lighting an entire large wall, but also the smallest detail down to 1 square millimeter. Incredible versatility.

6 – the latest step – THE MIRACLE – development: the PARALLEL BEAM INTENSIFIER.

Our spot performance and the entire optical construction earned us the recognition from the Oscar Committee of the

Academy of Motion Picture Arts and Sciences (twice), and we won an Emmy and more.

### NOW,

We went one unbelievable step further. We add extra calculated optics, **the parallel beam intensifier DPBA-714**. This adds amazing further intensity – more than 300% extra. \*\*Beyond the already unprecedented spot performane.

Thus, we open the gateway to the unbelievable and revolutionary dedolight Lightstream system, which allows the simultaneous use of multiple reflectors in different sizes, with different reflective surfaces, to efficiently light entire scenes with a minimum of light fixtures.

Not only saving a lot of time and other lighting paraphernalia - also one of the most economical ways to light.Beyond that, it is a unique way to cheat the square law, because reflected light travels a longer way, thus allowing the talent to move without much noticeable change of intensity.

We have many tutorial and educational videos to show all these functions in great detail, otherwise you would never believe what can be done with these lights.

For a limited time we want to make an exceptional offer.

### **The Celebration Special Price**

Allows you to benefit from these exceptional qualities and all the NEW and unbelievable performance.

We hope to create a deeper understanding for our exceptional, optical benefits, now culminating in the dedolight Lightstream system.

The expectation: once you start the dedolight Lightstream system, you are hooked and realize that this is what you have been waiting for for many years. It is now accessible, and therefore we do not only open the doors to this exceptional system, but also offer an extremely favorable price to make it all possible, even for the smallest teams.

Please take a good look at the hundreds of tutorial videos that we already have on YouTube.





here

### dedolight Focusing Low Voltage Lights

Some of us are constantly on the move, be it for NEWs, interviews or documentaries. A life with 'Lighting-on-the-Run'.

For these teams we have always had the best possible choice with our kits called 'The Portable Studio'.

Today, another subject for all of those, who are not constantly 'on-the-run', if you are working in a studio and see the need for high-class precision lighting, like table top tasks with jewelry, cosmetics, electronic equipment or food, everything that needs very special care and a very special glamorous look.

Here is a very attractive offer. This consists of the high precision versatile and creative tools in a complete set.

Accompanied by multi-output power supplies, be it the 3 x 150 Watt DT24-3 power supply, or the 4 x 100 Watt power supply DT12-4.

To make it even more attractive, we add two of our imagers/projection attachments, complete with 85 mm projection lens, perfect to light a sizable background, or to highlight the smallest possible detail (which facet of the diamond do you want to light).

Absolutely stunning precision, as used exclusively for the highest demands in special effects of the 'Harry Potter' Series, or the special effects in the 'Lord of the Ring' movies, the film 'American Beauty', or the fascinating 'Back to the Future' Ride Film shot by Doug Trumbull, and many others.

Today, especially in view of the situation that we all encounter at the moment, an absolutely unique and one-time offer.

We have reserved a particular contingent of these sets which may not be available for long, because this offer is extremely advantageous.





### dedolight Classic Lights - Selection of Kits

### Brand-NEW, full warranty - the Best of the Best

Version 1:	Description	Unit price:
1× DLH4	light head, 100 W / 150 W tungsten, low voltage	331,00€
1× <b>DT24-1</b>	Power supply 1 x 24 V / 150 W	229,00€
1x <b>DBD8</b>	Standard barn door (eight leaves)	44,00€
1× DPLS	Light shield ring	7,00€
3x <b>DL150-NB</b>	Tungsten halogen lamp 150W 24V	10,00€
1× <b>DSCM</b>	Soft case, mono	93,00€
Special P	rice:	420,00 €



Version 2:	Description	Unit price:
1× DLH4	Light head, 100 W / 150 W tungsten, low voltage	331,00€
1× DIMTA3	Power supply 1 x 12 V / 100 W	229,00 €
1× <b>DBD8</b>	Standard barn door (eight leaves)	44,00 €
1× DPLS	Light shield ring	7,00€
3x <b>DL100</b>	Tungsten halogen lamp 100W 12V	9,00€
1× DSCM	Soft case, mono	93,00€
Special P	rice: 3	56,51 €

Version 3:	Description	Unit price:
2x DLH4	Light head, 100 W / 150 W tungsten, low voltage	331,00€
2x DIMTA3	Power supply 1 x 12 V / 100 VV	124,00€
2x <b>DBD8</b>	Standard barn door (eight leaves)	44,00 €
2x DPLS	Light shield ring	7,00€
6x <b>DL100</b>	Tungsten halogen lamp 100VV 12V	9,00€
1x DSCM2	Soft case, mono, large	107,00€

**Special Price:** 664,02 € Version 4: Description Unit price: 2x DLH4 Light head, 100 W / 150 W tungsten, low voltage 331,00€ 2x DT24-1 Power supply 1 x 24 V / 150 W 229,00€ 2x DBD8 Standard barn door (eight leaves) 2x DPLS Light shield ring 2x DPOW3 Cable/extension, light head to power supply, 8 m (26.2')

Tungsten halogen lamp 150VV 24V

Soft case, mono, large

6x DL150-NB

**Special Price:** 

1x DSCM2







**C4** 

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

44,00 €

7,00€

49,00€

10,00€

107,00€

846,32 €

# dedolight Focusing Low Voltage Lights

A P

HAR TO LAR

States

### Brand-NEW, full warranty – the Best of the Best

Version 5:	Description	Unit price:
1x DT24-3	Power supply/control unit 3 x 24V/150VV	665,50€
3x DLH4	Light head, 100 W / 150 W tungsten, low voltage	331,00€
3x DBD8	Standard barn door (eight leaves)	44,00 €
3x DPLS	Light shield ring	7,00€
3x DPOW3	Cable/extension, light head to power supply, 8 m (26.2')	49,00 €
9x DL150-NB	Tungsten halogen lamp 150WV 24V	10,00€
1 x DSC 1	Soft case, small	387,00€
Special P	rice: 1.4	148,04 €



Version 6:	Description	Unit price:
3x DLH4	Light head, 100 W / 150 W tungsten, low voltage	331,00€
3x DT24-1	Power supply 1 x 24 V / 150 W	229,00 €
3x DPOW3	Cable/extension, light head to power supply, 8 m (26.2')	49,00 €
3x DBD8	Standard barn door (eight leaves)	44,00 €
3x DPLS	Light shield ring	7,00€
3x DST	dedolight stand	90,00 €
9x DL1 50-NB	Tungsten halogen lamp 1.50VV 24V	10,00€
1x DSC1	Soft case, small	387,00€
Special P	rice: 1.5	48,48 €



Version 7:	Description	Unit price:
4x DLH4	Light head, 100 W / 150 W tungsten, low voltage	331,00€
1x DT12-4	Power supply/control unit 4 x 12V/100W	626,00€
4x DBD8	Standard barn door (eight leaves)	44,00 €
4x DPLS	Light shield ring	7,00€
4x DPOW3	Cable/extension, light head to power supply, 8 m (26.2')	49,00€
4x DST	dedolight stand	90,00€
12x DL100	Tungsten halogen lamp 100W 12V	9,00€
1x DSC2	Soft case, medium	458,00€
Special P	Price: 1.9	904,92 €



**C4** 

### The dedolight LIGHTSTREAM Miracle

### Accessories also available with purchase of DLED7, DLED4 and DLH4-200 lights



#### The latest and most promising development.

**DPBA-714** 

Intensifier

List Price: 632,00 €

List Price: 167,00 €

**Special Price:** 

**Parallel Beam** 


Special Price: 357,50 €\*

**DPBA-14HON** 

Honeycomb

The incredible, miraculous parallel beam intensifier DPBA-714 increases the already unbeatable spot performance at 4 meter distance (2175 lux) to an astounding and unbelievable 9000 lux (313 % more light in addition).






4 Reflectors 25x25 cm different spread (1-4)

- incl.:
- 4 x DLR reflector locks (DLR-LOCK)

4 x each D-clamps (C LAMP-D) 1 x Carry bag (DLRP25)

- 4 x each flexible holding arms 29cm (DMFC29)



\*Special Price price only valid with order for DLH200DT Set

94,00 €

\*Sale price only valid in combination with Special Price purchases of, DLED7, DLED4, Classic and DLH200 Series.





Version 1:	Description	Unit price:
]× <b>DT24-3</b>	power supply/control unit 3 x 24V/150VV	665,50€
3x DLH4	light head, 100 W / 150 W tungsten, low voltage	331,00€
3x <b>DBD8</b>	standard barn door (eight leaves)	44,00€
3x DPLS	light shield ring	7,00€
3x DPOW3	cable/extension, light head to power supply, 8 m (26.2')	49,00€
3x <b>DL150-NB</b>	tungsten halogen lamp 150W 24V	10,00€
1x <b>DLBOX</b>	plastic box	9,00€
3x <b>DST</b>	dedolight stand	90,00€
Special Pr	ice: 1.	099,35 €

### **Optional for Version 1\*:**

1x **DSC1**, Soft case, small



218,40 €

### \* Please note:


Super price only valid when ordered with above kits.

#### List Price: 387,00 €

**Special Price:** 



E



Version 2:	Description	Unit price:
1× DT12-4	Power supply/control unit 4 x 12V/100W	626,00€
4x <b>DLH4</b>	Light head, 100 W / 150 W tungsten, low voltage	288,00€
4x <b>DBD8</b>	Standard barn door (eight leaves)	38,00€
4x <b>DPLS</b>	Light shield ring	6,00€
4x <b>DPOW3</b>	Cable/extension, light head to power supply, 8 m (26.2')	42,50€
4x <b>DL100</b>	Tungsten halogen lamp 100W 12V	7,50€
1x <b>DLBOX</b>	Plastic box	7,00€
4x <b>DST</b>	dedolight stand	78,00€
Special P	ice:	999,00 €

### **Optional for Version 2\*:**

1x **DSC2**, Soft case, medium

#### \* Please note:


Super price only valid when ordered with above kits.

List Price: 458,00 €

**Special Price:** 



### 258,70 €



### \* Please note:

Special Price Price only valid when ordered with the kits from pages 38 and 39. Sale price only valid in combination with Special Price kit purchases.

Ex demo, exhibition and rental - one year warranty

### **Complete Dedolight lighting kits**

from our rental stock, completely refurbished, fully functional

DT24-3 kit, 150 W/24V, tungsten light kit hard case		Unit price:
3x DLH4	focusing light heads, 150 W	331,00€
1× <b>DT24-3</b>	ballast 3 x 24 V / 150 W	665,50€
3x DBD8	8-leaves barn doors	44,00 €
3× DFH	filter gel holders	15,00€
2x <b>DH2</b>	dedolight wall holder	52,00€
3x DPOW3	light head cable, 8 m	49,00 €
2x CLAMP1	ddedolight clamp	46,00 €
3x DST	dedolight stand	90,00€
1× DCAR3	adapter for car cigarette lighter	49,00 €
1× DXBAT4-3	battery cable 4-pin XLR	45,00€
8x DL150-NB	low voltage lamps 24 V/150 W	10,00€
2x DLBOX	plastic boxes	9,00€
1× <b>DV6B</b>	suction mount with ball swivel joint	129,00€
1× DCHD	hard transport case (K12 and K24).	455,00€

List Price: 3.225,00 €

**Special Price:** 

1.099,00 €



### From our rental stock, refurbished, fully functional, one year warranty

	fick is	
Complete 100 W	12 V dedolight kit	Unit price:
4x DLH4	focusing light heads 50W, here to be used with 100 W lamps, 12 V to fit the 4 output transformer from this set	288,00€
1x <b>DT12-4</b>	ballast feeding 4 light heads 100 W /12 V	626,00€
4x <b>DH2</b>	dedolight wall holder	52,00€
2x CLAMP1	dedolight clamp	46,00 €
3x DLBOX	plastic box	9,00 €
4x DFH	filter holder	15,00€
4x <b>DPOW3</b>	light head cables, 8 m	49,00€
1× DCAR3	adapter for car cigarette lighter	49,00 €
1× DXBAT4-3	battery cable 4-pin XLR	45,00€
1× <b>DV6B</b>	suction mount with ball swivel joint	129,00€
4× DST	dedolight stands	90,00 €
8x <b>DL100</b>	low voltage lamps 12 V/100 W	9,00€
1x DCHD	hard transport case (K12 and K24).	455,00€

### **Special Price:**

1.245,00 €





complete light set with central power unit, feeding for dedolight light heads 100  $\rm W$ 

Here we have older style light heads, but fully functional with 100 W.

F

from our rental stock, refurbished, fully functional, one year warranty

Dimta Kit, 100	W /12 V Tungsten hard case	Unit price:
4x DLH4	focusing light heads DLH4	331,00 €
4× DIMTA3	inline transformers 230 V only	107,00 €
4× DBD8	barn doors	44,00 €
4x <b>DFH</b>	gel filter holders	15,00€
1× DCAR3	adapter for car cigarette lighter	49,00 €
4× DST	dedolight stands	90,00 €
4x <b>DH2</b>	dedolight holders	52,00 €
2x CLAMP 1	dedolight clamps	45,00 €
1x <b>DV6B</b>	suction mount with ball swizzle joint	109,00 €
8x <b>DL100</b>	low voltage lamps 12 V/100 W	9,00 €
2x DLBOX	plastic boxes	9,00 €
1x DCHDM4	hard transport case	491,50€
Special Pr	ice:	998,00 €



## Used, Tested, warranty 1 year - Classic dedolight

A back pack kit – ideal for the smallest team containing everything you will need

No. 507	Description
2 × <b>DLH4</b>	light heads, latest generation
2 × <b>DLH1x150S</b>	Soft light head, 100 W / 150 W tungsten
4 × <b>DT24-1</b>	Power supply 1 x 24 V / 150 W, 240 V AC
2 × DPLS	Light shield ring
2 × <b>DBD8</b>	Barn doors with 8 leaves
$4 \times \text{DST}$	Lighting stands
1 × DSTFX	Flexible stand extension
1 × <b>DSCK</b>	Scrim kit (includes all Classic Series scrims)
1 × DSBSS	Silver Dome Small
1 × DLGRIDS	Grid small
1 × CLAMP1	Clamp 1
1 × <b>DH2</b>	Wall holder
1 × <b>DP1</b>	Imager
1 × <b>DGW</b>	Warm tone gel filters
1 × <b>DBP</b>	Backpack

### Very light signs of use

**Special Price:** 







### 100 W 12 V dedolight Kit

### 100 W 12 V dedolight Kit

No. 519	Description
4x DLH4	light head, 100 W / 150 W tungsten
1× DT12-4	power supply 4 x 12 V / 100 W, 100 - 255 V AC, European cable.
4x <b>DPOW3</b>	cable/extension, light head to power supply, 8 m (26.2')
1× DXBAT4-3	battery cable, 4-pin XLR (male) in and 3-pin XLR (female) output with in-line switch
4x DPLS	light shield ring
4x <b>DBD8</b>	barn doors
4x DFH	filter holder
2x CLAMP1	clamp
1x <b>DV6B</b>	vacuum mount, 152 mm (6") diameter suction cup
4x <b>DH2</b>	wall holder
4x DST	stand
2× DLBOX	plastic box
8x DL100-NB	halogen lamp 100 W/12 V, clear
1x DCHD	hardcase


### Signs of use

List Price: 3.924,00 €

**Special Price:** 



### 1.211,50 €



All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

### Used Classic DLH4 Kit

### used Classic DLH4 Kit - Just 5 Kits available !!!

No. 600	Description
4 × <b>DLH4</b>	focusing light heads, 150 W
4 × <b>DT24-1E</b>	Power supply 1 x 24 V / 150 W, 240 V AC
4 × <b>DBD8</b>	barn doors
4 × DPLS	light shield ring
$4 \times \text{DL150-NB}$	halogen lamp 150 W/24 V, clear
1 × <b>DSC2</b>	soft case, medium

### Signs of use

List Price: 2.940,00 €

**Special Price:** 

### 1.415,00 €







CA-

HAR TO LUZ TO

X

Version 1	Description	Unit price:	Total:
4× DLH4	focusing light heads, 150 W	331,00€	1.324,00€
4× <b>DT24-1</b>	Power supply 1 x 24 V / 150 W, 240 V AC	229,00€	916,00€
4x <b>DL150-NB</b>	Tungsten low voltage lamps 24 V/150 VV	10,00€	40,00 €

Signs of use List Price: 2.280,00 €

Special Price:	saving ≈ 50%	1.140,00 €



Version 2	Description	Unit price:	Total:
4x <b>DLH4</b>	focusing light heads, 150 W	331,00€	1.324,00€
4x DIMTA3	Power supply 1 x 12 V / 100 W	123,00€	492,00€
4x <b>DL100-NB</b>	Tungsten halogen lamp 100VV 12V	9,00 €	36,00€

Signs of use

List Price: 1.852,00 €		
Special Price:	saving ≈ 55%	833,00 €

OPTION for Ver	sion 1 + 2:		
1 × <b>DSC2</b>	Soft case, medium		
NEW List Price: 458,00 €			
Special Price	:	saving ≈ 55%	206,00 €

# **Classic imaging - Imager Lenses**

The dedolight projection attachment employs interchangeable lenses with different focal lengths to produce various angles and image sizes similar to the way lenses are used on a camera. 60 mm or 85 mm lenses for pro-jecting a larger image.

The 85 mm lens can project an image with a diameter of 135 cm (53 ") at a distance of 2 m (6 - 1/2 '). The 185 mm lens can project an image with the same diameter (135 cm / 53 ") at a distance of 5 m (16 ').

#### Possibly light signs of use (from our exhibition).



**DPX -** Extension tube Extends the projection attachment by 60 - 100 mm.

List Price: 27,00 €

Special Price: 17,00 €



DPL50M 50 mm lens, f 2.8 for DP1.1, DP2.1 imagers

List Price: 178,00 €

Special Price: 89,00 €



**DPL60M** Imager lens, 60mm, f 2.4

List Price: 87,00 €

Special Price: 43,50 €



**DPL85M** Imager lens, 85mm, f 2.8

List Price: 71,00 €

Special Price: 35,50 €



DPLZ120M Imager zoom lens, 70-120mm, f 3.5

List Price: 190,00 €

Special Price: 95,00 €



DPLZ150M Imager zoom lens, 85-150mm, f 3.5

List Price: 190,00 €

**Special Price:** 



DPL185M Imager lens, 185mm, f 3.5

List Price: 203,00 €

Special Price: 101,50 €

95,00 €

# DLHM4-300, Tungsten Light Head

### Brand-NEW, full warranty - the Best of the Best



### DLHM4-300 Tungsten light head, 230 V

The self-contained dedolight DLHM4-300 works with an

integrated electronic power supply combining:

NEW dedolight Aspherics2 optics

DLHM4-300, light head, black

List Price: 538,00 €

- Drastically improved light output
- 24V / 150W integrated electronic power supply
- Manually dimmable
- Including two lamps 24V/150VV

Version for Europe: Input 230V

### Ex demo, 1 year warranty

DLHM4-300DMX, white body (10 pcs. available) List Price: 689,00 €



All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

25,00 €

#### options:

DST, dedolight stand List Price: 90,00 €

Special Price:50,66 €DBD8, Barndoor 8-leaves

#### List Price: 44,00 €

**Special Price:** 

#### DSCM, Soft case mono

#### List Price: 98,00 €

Special Price: 55,00 €



#### Kit with 3 lights complete

- 3x DLHM4-300, light heads
- 3x Barndoor 8-leaves
- 3x dedolight lighting stands DST
- 30x low voltage halogen lamps 24V/150W at no charge
- 1x Softcase DSC1





6 x 24 V/150 W

Halogenlampen, low voltage halogen lamps

#### AT NO CHARGE!

List Price: 2.136,00 €

**Special Price:** 

### 1.310,50 €

#### Alternative kit variations and other accessories can be offered. Questions and different configurations:

Call +49 89 356 16-01 or write to info@dedoweigertfilm.de.

Or contact Gabriele Gschwender at our export department at ggschwender@dedoweigertfilm.de.

# Used, Tested, warranty 1 year - DLHM4-300E

TO LAR

### DLHM4-300E - used lamp in light head inserted

No. 505	Description
4x <b>DLHM4-300E</b>	Light head, 24 V / 150 W tungsten, with built-in transformer and 4 m (13.1') AC power cable
4x	used lamp
4x <b>DST</b>	dedolight stand
1x DPFS	Imager framing shutter blade set
1x <b>DP1</b>	Imager projection attachment with 85 mm lens
1x DPGH	Steel gobo holder (size 'M')
1× DFH	Gel filter holder
1× DGMD	Gel filter set, mixed diffusion (fits Classic Series filter holder)
1× DGW	Gel filter set, warm tone (fits Classic Series filter holder)
1x <b>DV6B</b>	Vacuum mount, 152 mm (6") diameter suction cup
2× CLAMP1	dedolight clamp
2x <b>DH2</b>	Wall holder
1× DSCK	Scrim kit (includes all Classic Series scrims)
1x DCHDM4	Transport hard case

### almost like NEW

List Price: 3.829,00 €

F

#### **Special Price:**

1.590,00 €







Tel +49 (0)89 - 356 16 01 /info@dedoweigerffilm.de / www.dedoweigerffilm.de

# Used, Tested, warranty 1 year - DLHM4-300E

### DLHM4-300E - used lamp in light head inserted

No. 506	Description
4x <b>DLHM4-300E</b>	Light head, $24$ V / $150$ W tungsten, with built-in transformer and 4 m (13.1') AC power cable
4x	used lamp
4× DST	dedolight stand
1x DPFS	Imager framing shutter blade set
1x DP1	Imager projection attachment with 85 mm lens
1x DPGH	Steel gobo holder (size 'M')
1× DFH	Gel filter holder
1× DGMD	Gel filter set, mixed diffusion (fits Classic Series filter holder)
1× <b>DGW</b>	Gel filter set, warm tone (fits Classic Series filter holder)
1× <b>DV6B</b>	Vacuum mount, 152 mm (6") diameter suction cup
1x CLAMP1	dedolight clamp
2x <b>DH2</b>	Wall holder
1× DCHDM4	Transport hard case

#### almost like NEW

List Price: 3.721,00 €

#### **Special Price:**



1.590,00 €

F

Nº LIVE

This SPS5 5-light kit is worldwide one of our most successful multi-light kits with 3 focusing lights, 2 softlights, universally perfect for interviews, documentation as a multi-purpose travel kit. Long-lasting (practically indestructible).

# The absolute favorite for the traveling mobile small team

No. 512	Description
2 × <b>DLH1x150S</b>	soft light head, 150W tungsten
2 × HTP150S	high temperature resistant pouch
2 × <b>DT24-1E</b>	power supply, 150 W/24 V
1 × DSBSXS	dedoflex mini soft box
1 × DLGRIDXS	mini grid
1 × DSBSS	dedoflex soft box, small
1 × DLGRIDS	grid, small
3 × <b>DLHM4-300E</b>	light head with built-in transformer
3 × DPLS	light shield ring
3 × <b>DBD8</b>	barn doors
3 × <b>DFH</b>	filter holder
1 × <b>DGW</b>	gel filter, warm tone
1 × DGMB	gel filter set, mixed blue
1 × DGMD	gel filter set, mixed diffusion
1 × DGCOL	gel filter, color effect
1 × DSCK	scrim set
1 × DSCP	scrim pouch
1 x DP1.1	projection Attachment/Imager
1 x DPGH	gobo holder
1 × DPGSET	gobo set
1 × CLAMP1	clamp
1 × DSTFX	flexible stand extension
5 x <b>DST</b>	stand
2 × DLBOX	plastic box
10 × <b>DL150-NB</b>	halogen lamp 150 W/24 V, clear
1 × <b>DSC2</b>	soft case


#### Signs of use

List Price: 5.111,00 €

**Special Price:** 

2.220,00 €

F



Nº LIVE

2.220,00 €

### SPS5 5-Light kit

F

No. 513	Description
2x DLH1x150S	soft light head, 150W tungsten
2x HTP150S	high temperature resistant pouch
2x <b>DT24-1E</b>	power supply, 150 W/24 V
1× DSBSXS	dedoflex mini soft box
1× DLGRIDXS	mini grid
1× DSBSS	dedoflex soft box, small
1× DLGRIDS	grid, small
3x <b>DLHM4-300E</b>	light head with built-in transformer
3x DPLS	light shield ring
3x <b>DBD8</b>	barn doors
3x <b>DFH</b>	filter holder
1x <b>DGW</b>	gel filter, warm tone
1× DGMB	gel filter set, mixed blue
1× DGMD	gel filter set, mixed diffusion
1× DGCOL	gel filter, color effect
1× DSCK	scrim set
1× DSCP	scrim pouch
1× DP1.1	projection Attachment/Imager
1× DPGH	gobo holder
1× DPGSET	gobo set
1× CLAMP1	clamp
1× DSTFX	flexible stand extension
5x <b>DST</b>	stand
2x DLBOX	plastic box
10x DL150-NB	halogen lamp 150 W/24 V, clear
1 × <b>DSC2</b>	soft case

### Signs of use

List Price: 5.106,00 €









LIZE

K

2.220,00 €

### SPS5 5-Light kit

F

No. 514	Description
2x DLH1x150S	soft light head, 150W tungsten
2x HTP150S	high temperature resistant pouch
2x <b>DT24-1E</b>	power supply, 150 W/24 V
1× DSBSXS	dedoflex mini soft box
1 x DLGRIDXS	mini grid
1x DSBSS	dedoflex soft box, small
1x DLGRIDS	grid, small
3x <b>DLHM4-300E</b>	light head with built-in transformer
3x <b>DPLS</b>	light shield ring
3x <b>DBD8</b>	barn doors
3x <b>DFH</b>	filter holder
1x <b>DGW</b>	gel filter, warm tone
1x DGMB	gel filter set, mixed blue
1x DGMD	gel filter set, mixed diffusion
1x DGCOL	gel filter, color effect
1x DSCK	scrim set
1× DSCP	scrim pouch
1x DP1.1	projection Attachment/Imager
1x DPGH	gobo holder
1x DPGSET	gobo set
1 × CLAMP1	clamp
1 x DSTFX	flexible stand extension
5x <b>DST</b>	stand
2x DLBOX	plastic box
10x <b>DL150-NB</b>	halogen lamp 150 W/24 V, clear
1x <b>DSC2</b>	soft case

### Signs of use

List Price: 5.106,00 €









LIVE

2.220,00 €

### SPS5 5-Light kit

F

No. 515	Description
2x DLH1x150S	soft light head, 150W tungsten
2x HTP150S	high temperature resistant pouch
2x <b>DT24-1E</b>	power supply, 150 W/24 V
1x DSBSXS	dedoflex mini soft box
1x DLGRIDXS	mini grid
1× DSBSS	dedoflex soft box, small
1× DLGRIDS	grid, small
3x <b>DLHM4-300E</b>	light head with built-in transformer
3x DPLS	light shield ring
3x <b>DBD8</b>	barn doors
3x <b>DFH</b>	filter holder
1× <b>DGW</b>	gel filter, warm tone
1× DGMB	gel filter set, mixed blue
1x <b>DGMD</b>	gel filter set, mixed diffusion
1x DGCOL	gel filter, color effect
1× DSCK	scrim set
1× DSCP	scrim pouch
1x DP1.1	projection Attachment/Imager
1x DPGH	gobo holder
1× DPGSET	gobo set
1× CLAMP1	clamp
1× DSTFX	flexible stand extension
5x <b>DST</b>	stand
2x DLBOX	plastic box
10x <b>DL150-NB</b>	halogen lamp 150 W/24 V, clear
1× DSC2	soft case

### Signs of use

List Price: 5.106,00 €









TON LIVE

### SPS5 5-Light kit

F

No. 516	Description
2x DLH1x150S	soft light head, 150W tungsten
2x HTP150S	high temperature resistant pouch
2× <b>DT24-1E</b>	power supply, 150 W/24 V
1x DSBSXS	dedoflex mini soft box
1x DLGRIDXS	mini grid
1x DSBSS	dedoflex soft box, small
1x <b>DLGRIDS</b>	grid, small
3x <b>DLHM4-300E</b>	light head with built-in transformer
3x DPLS	light shield ring
3x <b>DBD8</b>	barn doors
3x <b>DFH</b>	filter holder
1x <b>DGW</b>	gel filter, warm tone
1x DGMB	gel filter set, mixed blue
1x DGMD	gel filter set, mixed diffusion
1x DGCOL	gel filter, color effect
1x DSCK	scrim set
1x DSCP	scrim pouch
1x DP1.1	projection Attachment/Imager
1x DPGH	gobo holder
1x DPGSET	gobo set
1x CLAMP1	clamp
1x DSTFX	flexible stand extension
5x <b>DST</b>	stand
2x DLBOX	plastic box
10x <b>DL150-NB</b>	halogen lamp 150 W/24 V, clear
1x <b>DSC2</b>	soft case

### Signs of use

List Price: 5.106,00 €

### **Special Price:**

2.220,00 €









T

Nº LIZE

2.220,00 €


### SPS5 5-Light kit

F

No. 517	Description
2x DLH1x150S	soft light head, 150W tungsten
2x HTP150S	high temperature resistant pouch
2x <b>DT24-1E</b>	power supply, 150 W/24 V
1× DSBSXS	dedoflex mini soft box
1× DLGRIDXS	mini grid
1× DSBSS	dedoflex soft box, small
1× DLGRIDS	grid, small
3x <b>DLHM4-300E</b>	light head with built-in transformer
3x DPLS	light shield ring
3x <b>DBD8</b>	barn doors
3x <b>DFH</b>	filter holder
1× DGW	gel filter, warm tone
1× DGMB	gel filter set, mixed blue
1× DGMD	gel filter set, mixed diffusion
1× DGCOL	gel filter, color effect
1× <b>DSCK</b>	scrim set
1× DSCP	scrim pouch
1× DP1.1	projection Attachment/Imager
1× DPGH	gobo holder
1× DPGSET	gobo set
1× CLAMP1	clamp
1× DSTFX	flexible stand extension
5× DST	stand
2× DLBOX	plastic box
10x <b>DL150-NB</b>	halogen lamp 150 W/24 V, clear
1× <b>DSC2</b>	soft case

#### Signs of use

List Price: 5.106,00 €









# Used, Tested, warranty 1 year - Softlight kit

HARE

TO PLANE

KK.

1.290,00 €


### 4-Light kit

No. 616	Description
2x DLH1x150S	soft light head, 150W tungsten
2x HTP150S	high temperature resistant pouch
3x <b>DT24-1E</b>	power supply, 150 W/24 V
2x DSBSXS	dedoflex mini soft box
1× <b>DLHM4-300E</b>	light head with built-in transformer
1× DLH4	DLH4 light head
2× DPLS	light shield ring
2x <b>DBD8</b>	barn doors
1× DSC2	soft case

### Signs of use







# **Brand-NEW**, full warranty

# #dedolight<sup>®</sup> DLH400D

# The most capable precision light ever built.

- Twice awarded by the Oscar Committee
- Highest focus range (flood / spot 50° 4°)
- Highest dimming range (including boost without color change)
- Perfect light AND color distribution, based on patented double-aspherical optics
- Now, finally with metal halide lamps, with the cleanest possible color spectrum

# The Perfect Lamp

According to our past experience metal halide lamps (HMI) had serious problems with color rendition. Each chemical element produced its narrow-band color, and in between there were serious gaps which affected skin tone rendition. Our NEW lamps have excellent color distribution.

8

	Re
	Ra
R1	HART ON ON MARK
R2 Martine Contraction	
R3 Management	
R4	
R5	
R6	A THE R. P. LEWIS CO.
R7 March March March March	
R8 Martine Research	
R9	
810	A
211	
12	
813	
814	GUILENS CONTRACTO
815 0 10 20 30 40 50	60 70 80 90 1

The amazing fact is that these lamps keep their high-color quality all throughout their entire lifetime.

#### **Ultra-violet**

Practically all discharge lamps emit a high content of ultraviolet, where especially the short wave (UVC) presents a serious health hazard for skin cancer and eye damage. Our lamps are so-called UV-stop lamps, but that is only part of the story. We are proud to have on our front lens an integrated dichroic UV-cut filter which lowers the UV content practically to zero. Most other manufacturers of metal halide lighting equipment have a UV content twenty times!!! Higher than we have. Our UV content with our super effective filter on the front lens brings all the UV output down to values below that of halogen lamps, which are usually considered totally harmless.

# The DLH400DT Set - no case

Sold and

### Brand-NEW, full warranty – the Best of the Best

including:	Description:
1× <b>DLH400DT</b>	Light head, 400/575 W daylight,
1× DEB400DT	Flicker-free electronic ballast,
1× DPOW400DT	Cable, light head to ballast, 7 m (23 feet)
1× DBD400	Barn door (Series 400)
1× <b>DPLS400</b>	Light shield ring (Series 400)
1× DL400DHR-NB	Metal-halide lamp 400/575 W daylight

P

TON L

1.790,00 €

#### List Price: 4.334,00 €

#### **Special Price:**



G

# **DEB400D** flicker-free ballast, standard version

### Brand-NEW, full warranty – the Best of the Best

Utilizing the latest technology, the DEB400DT electronic flicker free ballast was designed to power the DLH400DT, the dedoPAR and the DLH400SDT.

Light weight yet rugged, small yet powerful with every conceivable feature you would want.

- Dimmable (40%)
- Boost position for added light output (575 W)
- Active power factor correction
- Over voltage, overload, overheat and short circuit protection
- Automatic input voltage adjustment from 90-260 V AC



Weight	3400 g (7.5 lbs)		
Wattage	400/575W	5" (128.4 mm)	9.3" (237 mm)
Input voltage	Automatic sensing 90-260V AC		
Mounting	May be attached to light stand using DEB400H ballast holder (not included)		
Safety	Over voltage, overload, overheat and short circuit protection		
Indicators	Three LED status indicators (ready, lamp, heat)		
Dimming range	40%		

# Option for DEB400D:

### 1000 Hz, switchable function for high-speed video recording

Electronic, flicker-free ballast, small, light, robust – cutting edge technology.


Works with DLH400DT, DEDOPAR and DLH400S-DT and DLH-PA7X2DT soft lights.

Special version of the DEB400DT ballast, suitable for high-speed video shooting. This version is equipped with a switch with which you can alter the standard flicker-free frequency from 140 cycle all the way up to 1000 cycles, which enables high-speed video shooting. Occasionally there

 gy. could be noise generated in 1000 cycle function which usually does not worry anybody since high-speed video shooting is usually not associated
 DT with sound recording.

Once the high-speed video shooting is done, switch back to normal flicker-free silent mode.

Input range	90-264V AC
Output	special high speed version, output 1,000 c/s. 5 seconds after ignition ballast switches from starting frequency with 140 c/s to high speed operating frequency of 1,000 c/s. Ready to use for flicker-free high-speed recording.
Weight	3.400 kg
Watt	400/575 W
Input voltage	auto-ranging 90-264V AC
Stand Mounting	DEB400H mount allows stand-mounting
Security	protected against over-voltage, overload, overheat and short circuit
Display	LED status indicators (ready, lamp, heat)
Dimming	40 %



This switchable version can be ordered with a surcharge of 160,00 Euro

# **DLH400 Options:**

### Brand-NEW, full warranty – the Best of the Best

States

### Imager DP400 for optional light-shaping inserts

#### This special price includes:

- the imager/projection attachment, 185 mm projection lens
- Universal receptacle for gobos and filters
- For other devices visit our website or inquire.

#### List Price: 1000,00 €

G

### **Special Price:**



### The NEW miracle Parallel Beam Intensifier

No change to the spot exit angle of 4 degree, but adding unbelievable 500% extra light output, thus opening the door to the dedolight Lightstream system in a unique and non-parallel way.





All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

# **DLH400** Options:

### Brand-NEW, full warranty – the Best of the Best

### Non-spherical wide-angle attachment DLWA400R

Widens the exit angle to more than 80 degree with perfectly smooth and even light distribution, due to the non-spherical design.

The unique rotating barndoor leaves allow adjustment of shadow shapes from any angle – a unique dedolight special.



List Price: 459,00 €


Special Price: 249,00 €\*

# Reflector Set SLR25-4SS with mounting accessories

4 Reflectors 25x25 cm different spread (1-4)

- incl.:
- 4 x DLR reflector locks (DLR-LOCK)
- 4 x each flexible holding arms 29cm (DMFC29)
- 4 x each D-clamps (C LAMP-D) 1 x Carry bag (DLRP25)





### Sturdy carrying case for full set



\* Special Price price only valid with order for DLH400 Set

C

# **DLH436 lighting system**

# A LIGHT WITH A VERY SPECIAL UNIQUE CHARACTER.

Following the phenomenal success of our original low-voltage light with 12 or 24 V, we expanded the same principle for the next size.

For the original low-voltage lights with 12 or 24 V, we also had separate power supplies with 3 or 4 outputs. For this light, we have a power supply/transformer with similar size, but with only 1 output, usable for input voltages from 100 V all the way to 255 V. The output and intensity is switchable from 3000 to 3200 up to 3400 Kelvin.

With this lighting system, we succeeded to combine the special advantages of our original low-voltage system and transformed them into the next size. This does not only concern the amazing light output, where for example in the spot function with  $5.5^{\circ}$  exit angle, the light output equals a 650 W dedolight and even more.

I assume, that it will beat any 1000 W traditional light. The main achievement is in the very special light character, which is not obvious to every lighting cameraman, not to every professional. To actually "see" light is a very difficult subject, because light is invisible, we only see the reflection of light, but for the few, that value the very special character of a lighting system and want to use this unique character of light, it is truly and exceptional light.

For example, this lighting system was used by the British Special Effects Cameraman Nigel Stone, who used it for special effects in Harry Potter and many other of his films. Nigel Stone is known for other movies and his special effects work in Charlie and the Chocolate Factory, The Brothers Grimm, Chronicles of Narnia, Total Recall, Cinderella and King Arthur.

Admittedly, a lighting system not for everybody, especially not for those of us, who need to travel with the lightest possible equipment package.

#### Specifications: Light head DLH436

Focusing range:	56° to 5.5°
Focus range total:	1:16
Weight:	3400g

#### Specifications:

#### Power supply, transformer and control unit D36-1

Output:	36V A/C 400W
Input:	adjustable from 100 – 255V A/C
Weight:	6200g
3	



We still have a very limited number of such lights available, which we can offer with full warranty, complete light head with power supply, cable and two lamps 400 W, 36V.

saving ≈ 60%

690.00 €

Originally, this set was selling for 1.500 € - NEW List Price 1.725 €

**Special Price:** 

Previous pricing information shown in any other dedolight publications no longer valid.

Interesting for fans of halogen quality and character and for those, who value the high precision and the unique character.

# Only very few left

# The Series 400 Demo-/Used equipment Set

2

## 3x DLH650


No. 620	Description
3x <b>DLH650</b>	Light Head
3x <b>DPLS400</b>	Light shield ring
3x <b>DBD400</b>	8-leaf barn door
1x <b>DSHD3x6</b>	Hard case

### Signs of use

### **Special Price:**

### 1.098,00 €





G

### Used Series 400 - DLH650 Pole operated, DLH400DT and 650

CARLAR HEREN

#### used Series 400 - DLH650-DMX-PO - Just 3 available !!!

Description

No.	601	

DLH650-DMX-PO

650 W daylight, DMX control, pole operate

#### Signs of use

List Price: 590,00 €

G

**Special Price:** 



### used Series 400 - DLH400 Kit

No. 613	Description	Unit price:	Total:
1× DEB400DT	Electronic ballast 400 / 575 W daylight/tungsten	2.225,00€	2.225,00€
1x DPOW400DT	Light head cable 7 m (23 ' )	195,00€	195,00€
1× <b>DLH400DT</b>	Light head 400 / 575 W daylight / tungsten	1.505,00€	1.505,00€

#### Signs of use

List Price: 3.925,00 €

**Special Price:** 

1.700,00 €

384,00 €

### used Series 400 - DLH650 with Lamp

No. 614	Description	Unit price:	Total:
1x <b>DLH650</b>	Light head 650 W with 5 m (16.4 ' ) cable	590,00€	590,00 €
1x DL650FRM-NB	Lamp 230 V / 650 W	42,00€	36,00 €

#### Signs of use

List Price: 632,00 €

**Special Price:** 

407,00 €

	USEU JEIIS					
X	used Series 400 -	DLH650 without	Lamp	Hue Co		
	No. 615	Description		Uni	t price:	Total:

Light head 650 W with 5 m (16.4 ' ) cable

VUU NI

#### Signs of use

List Price: 590,00 €

1x **DLH650** 

**Special Price:** 

# Used IN-line dimmer DLDIM2000-DMX and DLDIM2000

#### used DLDIM2000-DMX

No. 602	Description
DLDIM2000-DMX	In-line dimmer, max. 2 kW @ 230 V, max. 1 kW @ 120 V, with MOSFET silent technology with integrated DMX control

#### Signs of use

List Price: 377,00 €

### pecial Price:





590,00€

590,00 €

384,00 €

245,00 €

158,00 €

#### used DLDIM2000

No. 603	Description
DLDIM2000	In-line dimmer, max. 2 kW @ 230 V, max. 1 kW @ 120 V, with MOSFET silent technology

#### Signs of use

List Price: 287,50 €





C



The dedolight DLH200SD is a dedicated soft light and offers unique qualities for this type of light source.

- The smaller brother of the DLH400.
- Compact metal halide system.
- Performance and quality as expected from dedolight.
- Dual non-spherical optics.

Many lighting situations demand both focusing and soft light sources at the same time. At dedolight, we feel strongly about designing and recommending totally dedicated light sources.

- Focus range 1:14
- Surprising far reach.
- Two ballasts available, AC and battery ballast.

The focusing dedolight DLH200D with patented double Aspherics<sup>2</sup> technology and zoom focus movement provides outstanding capabilities.





# DLH200D Sundance

#### Daylight / Tungsten Light Head

The DLH200DT employs our patented double  $\mathsf{Aspherics}^2$  optical system in combination with a zoom focus system. Clearly defined "clean beam", no stray light.

Versatility: All projection attachments and accessories of the dedolight 100/150 classic series are compatible with the DLH200D.

### DLH200SD Sundance Daylight / Tungsten Soft Light


Single function light head exclusively for use with four different types of soft boxes and PanAura®/Octodome 3 (DSBOCTS). Since the actual light source is placed in the focal center of the soft box, the light output is approximately two times the light output in comparison to a soft box mounted on the front of a Fresnel light.

A hot spot is normally encountered when using a soft box on a Fresnel light. The light distribution of the DLH200SD with all the mentioned soft boxes is perfectly even and homogenous.

## Technical Data: DLH200D


48°-4.5°
1:14
1 300 g (2.8 lbs)
DL200DHR-NB daylight,
200 W - 100 W
IP23 — rainproof
Double UV Protection,

#### LOWEST UV CONTENT OF ANY COMPARABLE LIGHT SOURCE.



# Technical Data: DLH200SD

Weight: Lamp: Dimming: UV: 1500 g (3.3 lbs) DL200DHR-NB daylight, 200 W-100 W (daylight) Double UV protection



HAR TO LUR

G CAR

400

		No A
Version 1	Description	Unit price:
1× <b>DLH200D</b>	Light head 200W daylight	1.261,00€
1× DEB200D	Flicker-free electronic ballast, 200VV (90 - 260V AC)	1.466,00 €
1x <b>DPOW200D</b>	Cable, light head to ballast, 7m	109,00€
1× DBD8	Standard barn door (eight leaves)	43,00€
1× DPLS	Light shield ring	6,90 €
1× DSCM2	Mono Softcase, large	107,00€
1× <b>DL200DHR-NB*</b>	Daylight lamp, 200W, 70V	253,00 €
Kit price:		3.247,00€
Special Price:	saving ≈ 45%	1.791,90 €



#### \* Please note:

Special high-quality dedolight lamp. Not replaceable by other 200W HMI type lamps because of different height (distance from socket to electrodes).

		(i)	
Version 2	Description	Unit price:	Total:
2x <b>DLH200D</b>	Light head 200W daylight	1.261,00€	2.522,00€
2x <b>DEB200D</b>	Flicker-free electronic ballast, 200W (90 - 260V AC)	1.466,00€	2.932,00€
2x <b>DPOW200D</b>	Cable, light head to ballast, 7m	109,00€	218,00€
2x DBD8	Standard barn door (eight leaves)	43,00€	86,00€
2× DPLS	Light shield ring	6,90€	13,80€
1× DSCM	Mono Softcase	107,00€	214,00€
1× DSCS	Soft case, small	139,00€	139,00€
2x DL200DHR-NB*	Daylight lamp, 200VV, 70V	253,00€	506,00€
Kit price:			6.518,00€
Special Price:	saving	≈ 45%	1.791,90 €




#### \* Please note:

Special high-quality dedolight lamp. Not replaceable by other 200W HMI type lamps because of different height (distance from socket to electrodes).

Nº LUZE


	End is		No A
Version 3	Description	Unit price:	Total:
3 × <b>DLH200D</b>	Light head 200W daylight	1.261,00€	3.783,00€
3 × <b>DEB200D</b>	Flicker-free electronic ballast, 200W (90 - 260V AC)	1.466,00€	4.398,00€
3 × <b>DPOW200D</b>	Cable, light head to ballast, 7m	109,00€	327,00€
3 × <b>DBD8</b>	Standard barn door (eight leaves)	43,00€	129,00€
3 × DPLS	Light shield ring	6,90€	20,70 €
3 × DST	Dedolight stand	89,00€	267,00€
1 × DBP	Backpack	492,00€	492,00€
2x DL200DHR-NB*	Daylight lamp, 200W, 70V	253,00€	759,00€
Kit price:			10.942,00 €
Special Price:	saving :	≈ 45%5	.613,80 €



#### \* Please note:

Special high-quality dedolight lamp. Not replaceable by other 200W HMI type lamps because of different height (distance from socket to electrodes).

			*
Version 4	Description	Unit price:	Total:
2 × <b>DLH200D</b>	Light head 200W daylight	1.261,00€	2.522,00€
2 × <b>DEB200D</b>	Flicker-free electronic ballast, 200W (90 - 260V AC)	1.466,00€	2.932,00 €
2 × <b>DPOW200D</b>	Cable, light head to ballast, 7m	109,00€	218,00€
2 × <b>DBD8</b>	Standard barn door (eight leaves)	43,00€	86,00€
2 × DPLS	Light shield ring	6,90€	13,10€
2 × <b>DST</b>	Dedolight stand	89,00€	178,00€
1 x <b>DSC1</b>	Soft case, small	386,00€	386,00€
2x <b>DL200DHR-NB*</b>	Daylight lamp, 200W, 70V	253,00€	506,00€
Kit price:			7.282,00€
Special Price:	saving	<b>≈ 45%</b>	.059,00 €




#### \* Please note:

Special high-quality dedolight lamp. Not replaceable by other 200W HMI type lamps because of different height (distance from socket to electrodes).

Η

TON LUZE

	Ever 3		No A
Version 5	Description	Unit price:	Total:
3 × <b>DLH200D</b>	Light head 200W daylight	1.261,00€	3.383,00€
3 × <b>DEB200D</b>	Flicker-free electronic ballast, 200VV (90 - 260V AC)	1.466,00€	4.398,00€
3 × <b>DPOW200D</b>	Cable, light head to ballast, 7m	109,00€	327,00€
3 × <b>DBD8</b>	Standard barn door (eight leaves)	43,00€	129,00€
3 × DPLS	Light shield ring	6,90€	20,70 €
3 × <b>DST</b>	Dedolight stand	89,00€	267,00€
1 × <b>DSC2</b>	Soft case, medium	457,00€	457,00€
3x DL200DHR-NB*	Daylight lamp, 200W, 70V	253,00€	759,00€
Kit price:			10.148,00€
Special Price:	savina ≈	45%	5.603.50 €



#### \* Please note:

Special high-quality dedolight lamp. Not replaceable by other 200W HMI type lamps because of different height (distance from socket to electrodes).

				2
Version 6	Description		Unit price:	~
1× <b>DLH200D</b>	Light head 200W daylight		1.261,00€	
1× <b>DEB200D</b>	Flicker-free electronic ballast, 200VV (90 - 260V AC)		1.466,00€	
1× <b>DPOW200D</b>	Cable, light head to ballast, 7m		109,00€	
1× <b>DBD8</b>	Standard barn door (eight leaves)		43,00€	
1 × DPLS	Light shield ring		6,90€	
1× DCHD200-1	Transport hard case		502,00€	
1× DL200DHR-NB*	Daylight lamp, 200W, 70V		253,00€	
Kit price:			3.643,00€	
Special Price:	saving ≈	45%	2.005,90 €	



#### \* Please note:

Special high-quality dedolight lamp. Not replaceable by other 200W HMI type lamps because of different height (distance from socket to electrodes).

н

Version 1	Description	Unit price:	Total:
1x <b>DLH200SD</b>	Soft light head, 200VV daylight	673,00€	673,00€
1× <b>HTP200S</b>	High temperature pouch	69,00€	69,00€
1× DEB200D	Flicker-free electronic ballast, 200VV (90 - 260V AC)	1.466,00€	1.466,00 €
1× DEB200H	Ballast holder with CLAMP-C	89,00€	89,00€
1x <b>DPOW200D</b>	Cable, light head to ballast, 7m	109,00€	109,00€
1× DSBSS	dedoflex silver dome, small 56 x 41 x 33 cm (22 x 16 x 13")	169,00€	169,00€
1× DLGRIDS	Grid (40°)	123,00€	123,00€
1× DSC1	Soft case, small	359,00€	359,00€
1× DL200DHR-NB*	Daylight lamp, 200W, 70V	253,00€	253,00€
Kit price:			3 338 00 €

#### Kit price:

**Special Price:** 

### 1.844,50 €



#### \* Please note:


Special high-quality dedolight lamp. Not replaceable by other 200W HMI type lamps because of different height (distance from socket to electrodes).

Η

# K200-35 Sundance Kit Daylight

### Brand-NEW, tested, warranty 1 year

Version 1	Description	Unit price:	Total:
2 × <b>DLH200D</b>	Light head 200W daylight	1.261,00€	2.522,00€
1 × <b>DLH200SD</b>	Soft light head, 200W daylight	673,00€	673,00€
1 × <b>HTP200S</b>	High temperature pouch	69,00€	69,00€
3 × <b>DEB200D</b>	Flicker-free electronic ballast, 200W (90 - 260V AC)	1.466,00 €	4.398,00€
3 × <b>DEB200H</b>	Ballast holder with CLAMP-C	89,00€	267,00€
3 × <b>DPOW200D</b>	Cable, light head to ballast, 7m	109,00€	327,00€
1 × DSBSS	dedoflex silver dome, small 56 x 41 x 33 cm (22 x 16 x 13")	169,00€	169,00€
2 × <b>DBD8</b>	Standard barn door (eight leaves)	44,00€	88,00€
$2 \times \text{DPLS}$	Light shield ring	6,90€	13,80€
$2 \times \text{DTCF}$	Dichroic tungsten conversion filter	91,00€	182,00€
3 × <b>DST</b>	dedolight stand	90,00€	180,00€
] × <b>DCHD200-3</b>	Transport hard case	681,00€	681,00€
3 × <b>DL200DHR-NB*</b>	Daylight lamp, 200W, 70V	253,00€	759,00€
Kit price:			10.422,00€
Special Price:			5.746,79 €



### \* Please note:

Special high-quality dedolight lamp. Not replaceable by other 200W HMI type lamps because of different height (distance from socket to electrodes). Η

Brand-NEW, tested, warranty 1 year

CARE ARE

1 MA

DLH200D – Another doorway to dedolight Lightstream



# DPBA-714 Parallel Beam Intensifier



List Price: 632,00 €



# DPBA-14HON Honeycomb



# Reflector Set SLR25-4SS with mounting accessories

4 Reflectors 25x25 cm different spread (1-4)

- incl.:
- 4 x DLR reflector locks (DLR-LOCK) 4 x each flexible holding arms 29cm (DMFC29) 4 x each D-clamps (C LAMP-D) 1 x Carry bag (DLRP25)





\* Special Price price only valid with order for DLH200DT Set

Н

# Series 200 / Softlight Kit

# 3-Light kit daylight

No. 617	Description
2x <b>DLH200DT</b>	200 W daylight/tungsten light head
1× DLH200SDT	200 W daylight /tungsten soft light
1× HTP2005	high temperature resistant pouch
3x DPOW200DT	cable, light head to ballast
3× DEB200DT	flicker-free electronic ballast, 200 W (90-260 VAC)
1× DLH4	light head
1× DLPA3	PanAura 3 soft box
2x DBD8	8-leaf barn door
2x DPLS	light shield ring
1× <b>DL200DHR</b>	200 W daylight lamp
1× DL200DHR-NB	200 W daylight lamp
3× DST	stand
1x DSC2	soft case

### Signs of use

### **Special Price:**

# <image>

\* Special Price price only valid with order for DLH200DT Set \*Sale price only valid in combination with Special Price purchases of, DLED7, DLED4, Classic and DLH200 Series.

### 4.400,00 €

H

# **Used equipment Sets**

## 4x150S PA5 soft light

No. 618	Description
1x <b>DLH4x150S</b>	Tungsten soft light
1x <b>DT4x150</b>	Power supply
1x <b>DPOW4x150-2</b>	cable, light head to ballast
1x <b>HTP4x150S</b>	high temperature resistant pouch
1× DLPA5	PanAura 5
1× DLPA5G	PanAura 5 grid
1× DSCXLW	soft case with wheels

### Signs of use

### **Special Price:**

1.248,00 €



# Used, Tested, warranty 1 year - Panaura 3

Contraction of the second

### Soft light 4 x 150 W Tungsten

4 light sources, individually dimmable, maximum control, 3400 K and all warmer colour temperatures.

No. 502	Description
1× DLH4x150S	Soft light head, 4 x 150 W tungsten
1× <b>DT4x150</b>	Power supply / control unit for DLH4x150S
1× DLPA3	Complete Panaura dome with all diffusers
2x	Cable
1× DST	Lighting stands
1× HTP4x150S	High temperature resistant pouch for DLH4x150S

### Light signs of use

List Price: 1.888,00 €

**Special Price:** 





# DLH1x1200SD Daylight 1 x 1200W

Our Panaura 7 soft light works with a single 1200 W lamp (G22 socket). Integrated speed ring for Panaura® 7 soft box. It is powered by the NEW DEB1200D ballast which offers manual dimming and DMX control as standard.

### DLH1x1200SD Daylight 1x1200W - Very light signs of use


Version 1	Description	Unit price:	Total:
1x DLH1x1200SD	Soft light head 1200 W daylight incl. UV protection glass	1.517,00€	1.517,00€
1x DEB1200D	Flickerfree electronic ballast, 1200 VV (90 - 264 V AC)	3.161,00€	3.161,00€
1x DPOW1200D	Cable, light head to ballast, 7 m (23 ft.)	299,00€	299,00€
1× DL1200DHR-NB	Metal-halide lamp 1200 W daylight, G22	256,00€	256,00€

### List Price: 5.233,00 €


	Special Price:	saving ≈ 55%	2.350,00 €
--	----------------	--------------	------------

Options of NEW pro	ducts - No signs of usage:	List price:	Sale price:
1× DLPA7	dedolight Panaura 7	837,00 €	585,00 €
1× DLPA7-HTS3	High temperature shields für Panaura7 domes, Set of 3 pieces	159,00 €	111,00 €
1x DLPA7G	Grid 40°, fits dedolight Panaura 7	329,00 €	230,00 €

If you want a carry bag for this, please ask and we'll offer



All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.







Hessisches Landesmuseum, Darmstadt

Please contact us with your requirements and we can assist you on specifying lights and accessory. In our rotating demo stock of museum fixtures we might have the perfect tool (LED, discharge, incandescent).

# LED Power Lights

E Catto

Single lights from our test and qualification program, perfect color quality, most are single units only unless otherwise mentioned



**Special Price:** 



K

# **LED Power Lights**

# K3 - Nanlux TK200



1000





Dimming	0-100%
Control	On-board controller, 2.4G, Bluetooth, DMX, RDM, LumenRadio
Effect	INT Loop, Flash. Pulse, Storm, TV, Paparazzi, Candle/Fire, Bad Bulb, Firework,Explosion and Welding

List Price: 828,00 €

**Special Price:** 

# K4 - Nanlux TK450

		MANULLIX TK-450		
Rated Power	455 W	Dimming	0-100%	
Input Voltage/Current	DC48V/10A Max, AC100-240V 50/60Hz	Control	On-board controller, 2.4G, Bluetooth, DMX, RDM, LumenRadio	
CRI	96			
TLCI	98	Effect	INT Loop, Flash. Pulse, Storm, TV, Paparazzi, Candle/Fire, Bad Bulb, Firework,Explosion and Welding	
сст	5600K		Thework, Explosion and Vielaing	
List Price: 1.393,00 €				
Special Price:			794,00 €	

472,00 €

Κ




**Special Price:** 




# Dyno 650C RGBWW LED Soft Panel Light

100

2











Power Consumption:	Nominal 650W, Max 700W
LED Total Power:	672W × 5
Power Supply:	AC100-240V 50/60Hz
OPTICAL:	Beam Angle: 160° LED Type: RGBVVVV
CRI:	Average 95
TLCI:	Average 95
CCT:	2700K-20000K(G/M)
Dimming:	1 - 100% in steps of 0,1%
Control:	On-board control, 2.4G, Bluetooth, DMX (5 pin), RDM, LumenRadio
On Board Effects:	Hue Loop, CCT Loop, INT Loop, Flash, Pulse, Storm, Police Car, TV, Paparazzi, Candle/Fire, Disco, Bad Bulb, Firework, Explosion, Welding

### List Price: 3.602,00 €

**Special Price:** 

### 2.053,00 €

K

# LED Power Lights

# LG-G160 LED RGBAW Light with DMX

- Ter

LEDGO LG-GAO MagicHue Series LED Studio Light, 160W, RGBW with DMX in ht Case, Barndoor er bright illumination 9760-10880 2700 - 7500K olour Temperature Range 160W Power 48V DC 3.34A, 10 AC Power Source Dual V-Mount Plates for al Battery Power DMX & WiFi Control Read with A34 Optional Handheld with "NEW" LEDGO smart Remote or A30 WiFi Transfe device App -G160 CRI(Ra): 95 Working -20 to 40° Termperature 160W **Power Consumption:** Working **Input Voltage:** 100-240V A 50000 Hours Lifetime(Hour) **Output Voltage:** 48V DC **Certification:** RoHS 7500K **Color Temperature:** CCT mote / WiFi APP / DMX / **Control model:** Di Illumination(LM): 760lM; 7500K: 10880lM 3.34A DC, 100-240V AC, **Power Source:** ny V-lock battery Illumination(LUX); 2700K: 4530LUX@1M, 7500K: 5650LUX@1M Weight: About 7kg 610\*550\*150mm Brightness ol: WiFi, 2.4G, DMX and Dimmer **Dimension:** 20\*18\*4.9" List Price: 1 **Special Price:** 330,00 €

Κ

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

hy,

# Helios B100

### Studio, Video, dimming bicolor 100W LE panel (3 pcs available)

LED beam with more than 30,000 Adopted A hours life time so with highly efficiency, energy s characteristics. By swinging saying, minima one or more of 4ndorrs leaves into the beam's path, you ca ively light areas of the subject that you want to eep light from areas he panel light is reathat you don't want illumi 00 to 240 VAC dy for worldwide use thanks adapter but you can also run i ical V-mount batteries when mains power is u ple.

Built Color temperature 3200-5500K adju with DMX control system perfectly not or ple for indoor outdoor video fill light, wedding ph children's photography, product photography also studio, television, film, engineering.







# **GK-900B**



Power:	54W	CRI:	≥95
Led Quantity:	900PCS	BAT:	Sony NP-F Series
ССТ:	3200-5600K	Voltage:	DC13-19V
Dimmer:	10%-100%	Size:	302*191*42mm

### **Special Price:**

# StudioLED Ultrasoft S150B Pro

150W, Bicolor 3200K-5600k, CRI ≥95 Dimensions: 620 x 340 x 470 mm/ Weight: 15 kg





# SM202PRO 80W, Bicolor 2700K~5600K, APP control, Dimensions: 320 x 200 x 35 mm





incl. Soft case




93,00 €

Input power:	110V/240V 50Hz/60Hz	CRI:	≥95
Output power:	80W	Lumen:	3000LM
CCT:	2700-5600K	Lifespan:	50000h
Dimmer:	0%~100%	Control model	APP control (remote control optional)

### **Special Price:**

# SM212 - Bicolor 40W, Dimensions: 240mm x 200mm



Input power:	110V/240V; 50Hz/60Hz	Adjustment Range:	Stepless Adjustment
Output power:	40W	ССТ:	2700K – 5600K
Adapter:	18V/3A	CRI:	RA > 95
Lumen:	1600LM	Include:	Include Remote

**Special Price:** 

# Travor FL-3060A

Fabric Light, Flexible LED Panel, 85W, daylight

1/4" screw hole on the bracket allows you to attach it to a light stand (Light stand not included).

NEW, functional, no warranty



### **Special Price:**

### 75,00 €

# Visico LED-50AII 50W, Bicolor

AC and DC operations with NPF batteries (not included).

Accurate color rendering, CRI more than 97% Eco-friendly long-lasting LEDs are rated for up to a 30,000 hour lifespan.

**Brightness adjustment** 

from 0 to 100%

Color temperature adjustment from 3200 to 5600K

Super thin, light weight, compact, protable and bright.





# Tecpro Liteflex Daylight TP-LF-D-SET - Brand New

The LED panel itself is rainproof. The detachable power stick is not rainproof and can be used with extension cable from a distance.

### **High Light Output**

Higher light output than most of the competitors' products.







Size with Power Stick: 41x29 cm	m Power Consur	<b>mption:</b> 40W (3A)
Weight of Light Panel: 426g	Input on Powe	er Stick: 12-20V
Weight of Power Stick: 674g	TLCI:	96
Color Temperature: 5600K	Delta UV:	-0,0019

List Price: 347,00 €

**Special Price:** 

# Tecpro RGBWW LED - Liteflex TP-LF-C-SET - Brand New



List Price: 879,00 €

# **Tecpro Feather LED - brand NEW**

A special, lightweight and handy Bicolor light panel, available in two versions.



The Feather 350 (see image top left) shows a very smooth and even surface.

The Feather 400 (see image top right) shows higher light emission.

Also here, light distribution very smooth, but when looking at the diffusor, the actual active LED light sources are visible.

This can only be disturbing when a reflex in an eye glass becomes visible.



Easy handling and convenient power supply, either with two standard NPF batteries, or with miniature mains power supply.

### Code: TP-FEA350-BI Feather Bicolor 350

Tecpro Feather bicolor. LED Pad. 45W. Dual power supply mode: battery-operated or AC power supply

List Price: 298,00 €

**Special Price:** 

170,00€

170,00€

### Code TP-FEA400-BI Feather Bicolor 400


Tecpro Feather bicolor. Soft Light. 45W. Dual power supply mode: battery-operated or AC power supply

List Price: 298,00 €

### **Feather specifications**

TP-FEA350-BI		ТР-FEA400-ВІ		
Weight:	1.1 kg	Weight:	0,8 kg	
Size:	25 x 44 x 4,2 cm	Size:	25x44x4,2cm	
Power consumption:	45W	Power consumption:	45W	
Input voltage:	100-240V, DC7,4V	Input voltage:	100-240V, DC7,4V	
Color temperature:	5500K-3200K	Color temperature:	5500K-3200K	
Light output:	950 Lux /1 m	Light output:	1050Lux/1m	

### Feather accessories - brand NEW



### Feather power supplies

TP-PSFEA Mains power supply for FeatherDLCH-NPF Battery chargerDLB-NPF950 BatteryImage: Display the process of the pro

Tel +49 (0)89 - 356 16 01 /info@dedoweigerffilm.de / www.dedoweigerffilm.de

# FELIONI® TECPRO®

# Clearance Sale – Best Price Ever!

### One generation before last Felloni 2, complete sets (3 lights each) in a soft carrying bag with an unbelievable price

- For a great number of years our Felloni lights have been standard equipment worldwide.
- For the smallest team, for NEWs and documentaries, for lighting rental houses, as well as for complete studio lighting.
- Today, we offer some of the older generations from stock, or refurbished lights at absolutely exceptional prices.
- In order to make it easier for you to choose, please take a good look at the following classifications.

### Exit Angle

30 degree and 50 degree are universally used. 15 degree exit angle may be better suited as back light, hair light or contour light. Low profile – only a few of them are left. They feature an exit angle of 45 degree. Possible advantage when installed in a low ceiling.

### Color Quality

Over the years we have improved the color from second to third generation. Felloni 2 was CRI 85, Felloni 3 has CRI 95. Then we also had the in-between generation of dedocolor, which was the first time we were really absolutely happy with skin tones, and we were offering the optimum color quality possible at that time.


### Standard and High Output

The High Output Fellonis offer about double the light output in comparison to the standard version.

### Mono-Color

Felloni lights with tungsten light 3200 K (T) Felloni lights with daylight approx. 5600 K (D) These mono-color lights offer approximately double the light output in comparison to the bicolor lights.







### Bicolor

Variable color temperature from 3200 K tungsten light to 5600 K daylight. For use in documentaries of special interest, because it offers you the opportunity to match individual ambient light color situations, where you often find a strange mixture of ambient color temperatures.

For the lighting of talents this also gives you the opportunity to adjust the key light in the optimum way, but also to tune the fill light slightly warmer, to achieve more pleasant skin tones.

For the back light you may want to choose a higher color temperature (colder), which may possibly give you a better separation from the background.

### 

If you remove the dimmer box, you can replace it by a DMX control box (has to be purchased separately).


Not all of the DMX control boxes for the Fellonis work on each of those lights. There are different generations and different software.

Also, it may depend on the kind of control panel that you are using, whether it is a simple one (usually works very well) or a very complex studio version, which may give out not only a DMX signal, but also wants a feedback signal from the light (RDM).

So here, a possible consultation or testing may be required to find the right one – and we may not have many of those left.









### Dimmability

All Fellonis can be dimmed with not much of noticeable steps.

### Battery Operation

Simply slide out the power supply for AC, and now slide in your own V-lock lithium battery, approx. 14 V, higher capacity, or buy such a battery from us, called **DS95SI**, which also features a built-in charger.

In general, I would recommend that you buy NEW batteries, because used batteries may fail sooner.

### Soft Boxes

For the very soft and gentle lighting of persons or objects we offer the TP-LONI-SBX-42 Soft box (Fits onto all different Fellonis.



List Price: 98,00 €

Special Price:

68.00 €

Freebie - there are also some offers included for sets with 3 Fellonis - and those come with a textile bag free of charge.

TPSC3

### Brand-NEW, full warranty

	FELLONI1	stGENERATION		
Code	Description	Stock (piece)	List Price	Special Price Price
TP-LONI-T15	Felloni - Standard - Tungsten 15°	19	439,50 €	50,00 €
TP-LONI-T30	Felloni - Standard - Tungsten 30°	44	439,50 €	50,00 €
TP-LONI-T50	Felloni - Standard - Tungsten 50°	14	439,50 €	50,00 €
TP-LONI-T15HO	Felloni - High Output - Tungsten 15°	]	732,50 €	70,00 €
TP-LONI-T30HO	Felloni - High Output - Tungsten 30°	1	732,50 €	70,00 €
TP-LONI-T50HO	Felloni - High Output - Tungsten 50°	19	732,50 €	70,00 €
TP-LONI-D15	Felloni - Standard - Daylight 15°	63	439,50 €	50,00 €
TP-LONI-D30	Felloni - Standard - Daylight 30°	2	439,50 €	50,00 €
TP-LONI-BI50	Felloni - Standard - Bicolor 50°		439.50 €	50,00 €

	FELLONI2ndC	ENERATION		
Code	Description	Stock (piece)	List Price	Special Price Price
TP-LONI2-T15	Felloni 2 - Standard - Tungsten 15°	1	439,50 €	60,00 €
TP-LONI2-T15-White	Felloni 2 - Standard - Tungsten 15° White	5	439,50 €	60,00 €
TP-LONI2-T50	Felloni 2 - Standard - Tungsten 50°	8	439,50 €	60,00 €
TP-LONI2-T30HO	Felloni 2 - High Output - Tungsten 30°	1	732,50 €	80,00 €
TP-LONI2-D30	Felloni 2 - Standard - Daylight 30°	4	439,50 €	60,00 €
TP-LONI2-D50	Felloni 2 - Standard - Daylight 50°	4	439,50 €	60,00 €
TP-LONI2-D30HO	Felloni 2 - High Output - Daylight 30°	35	732,50 €	80,00 €
TP-LONI2-D50HO	Felloni 2 - High Output - Daylight 50°	2	732,50 €	80,00 €
TP-LONI2-BI30	Felloni 2 - Standard - Bicolor 30°	1	439,50 €	<del></del>
TP-LONI2-BI15HO	Felloni 2 - High Output - Bicolor 15°		732,50 €	80,00 €
TP-LONI2-BI30HO	Felloni 2 High Output - Bicolor 30°	5	732,50 €	00,00 E

	FELLONI LOW PROFIL	E - 45° EXIT ANGLE		
Code	Description	Stock (piece)	List Price	Special Price Price
TP-LONI2-LPT50	Fetton: 2 Low Profile - Tungsten 50°	1	519,50 €	40.00 5
TP-LONI2-LPD30	Felloni 2 - Low Profile - Daylight 30°	8	519,50 €	40,00 €
TP-LONI2-LPD50White	Felloni 2 - Low Profile - Daylight 50° White	1	519,50 €	40,00 €
TP-LONI2-LPBI30	Felloni 2 - Low Profile - Bicolor 30°	1	519,50 €	40,00 5

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

### Brand-NEW, full warranty

	FELLONI DEE	OCOLOR		
Code	Description	Stock (piece)	List Price	Special Price Price
TP-DCOL-D50	Felloni dedocolor - Standard - Daylight 50°	56	550,00 €	85,00 €
TP-DCOL-BI50	Felloni dedocolor - Standard - Bicolor 50°	8	550,00 €	85,00 €
TP-DCOI-T30HO	Felloni dedocolor - High Output - Tungsten 30°	2	916,00 €	90,00 €
TP-DCOL-T50HO	Felloni dedocolor - High Output - Tungsten 50°	2	916,00 €	90,00 €
TP-DCOL-D30HO	Felloni dedocolor - High Output - Daylight 30°	49	916,00 €	90,00 €
TP-DCOL-D50HO	Felloni dedocolor - High Output - Daylight 50°	51	916,00 €	90,00 €
TP-DCOL-BI30HO	Felloni dodeestor High Output - Bicolor 30°	1	916,00 €	00,00 5
TP-DCOL-BI50HO	F <del>elloni dedocolor -</del> High Output - Bicolor 50°	2	916,00 €	YU,UU C

	TP-PSVM Felloni V-Mount power	supply is included	in each kit.	
Code	Description	Stock (piece)	List Price	Special Price Price
TP-LONI-T30	Felloni - Standard - Tungsten 30°	3	1.317,00 €	690,00 €
TP-LONI-T50	Felloni - Standard - Tungsten 50°	2	1.317,00 €	690,00 €
TP-LONI-T30HO	Felloni – High Output – Tungsten 30°	1	2.197,00 €	1.295,00 €
TP-LONI-T50HO	Felloni - High Output - Tungsten 50°	7	2.197,00 €	1.295,00 €
TP-LONI-D15	Felloni - Standard - Daylight 15°	6	1.317,00 €	690,00 €
TP-LONI-D30	Felloni - Standard - Daylight 30°	28	1.317,00 €	690,00 €
TP-LONI-D50	Felloni - Standard - Daylight 50°	75	1.317,00 €	690,00 €
TP-LONI-D30HO	Felloni - High Output - Daylight 30°	13	2.197,00 €	1.295,00 €
TP-LONI-BI30	Pelloni - Standard - Bicolor 30°	4	1.317,00 €	690,00 €
TP-LONI-BI50	Felloni - Standard - Bicolo, 50°	8	1.317,00 €	690,00 €
TP-LONI-BI15HO	Felloni - High Output - Bicolor 15°	> <	2.197,00 €	1.295,00 €
TP-LONI-BI30HO	Felloni - High Output - Bicolor 30°	15	2.197,00 5	1.295,00 €
TP-LONI-BI50HO	Felloni - High Output - Bicolor 50°	2	2.197,00 €	1.295,00 €
TP-DCOL-D50	Felloni dedocolor - Standard - Daylight 50°	3	1.650,00 €	577,00 €
TP-DCOL-D50HO	Felloni dedocolor - High Output - Daylight 50°	1	2.748,00 €	962,00 €

# Element Labs - Kelvin Tile

### Like NEW - DEMO Equipment - no warrenty

A NEW option for lighting film, TV and commercials. Kelvin Tile was the first lighting system based on LED technology for gentle white light with adjustable intensity and color temperature from 2200K to 6500K. Even dimmed color temperature remains constant.

- High efficiency
- Low heat
- 6 different color LEDs are specially matched for digital video or film
- AC and battery driven for studio or mobile use

### Kelvin Tile LH-KIT-I-02 Kelvin K1

I-Power Base Unit, high diffuser and power supply, barn doors, single yoke List Price: 2.178,00 €

**Special Price:** 

M

280,00 €

### Kelvin Tile R-KTI-PBOX

Kelvin Paintbox with PSU, no power cable

List Price: 642,00 €

**Special Price:** 

40,00 €

. .

# Focusing LED lights

# LG-900SC LEDGO Daylight LED Light - NEW

Lightweight design for maximum portability & high colour rendering index to ensure faithful colours.

Can be powered from mains or from V-Mount style battery (not supplied).


- Power: 54W. Power Source: 12-16.8V DC
- 5,600° Kelvin
- CRI (Ra) > 95
- Dimmer Control : Stepless from 5% 100%
- Control brightness manually, WiFi via app (optional), radio remote control 2.4G (optional)
- Illumination intensity (1 m.): 8.595 LUX
- Spigot mount size 16mm | 5/8"
- Dimensions: 450 x 60 x 380mm
- Weight: Approx. 2050g

### List Price: 353,00 €



195,00 €





# **Focusing LED lights**

# LG-D1200M - LED Fresnel Light

### 120W, Daylight with DMX, Beam angle can be adjusted from 10° to 70°



### List Price: 849,00 €

**Special Price:** 

# Brand NEW WG200

Highly effective Fresnel light, two separate controls for tungsten and daylight range CRI 97 – 98, TLCI above 98. TM – 30 – 15 Rg 99 – 100. Dimensions 330 x 480 x 518 mm, Weight 9.5 kg,



### **Special Price:**

# **Focusing LED lights**

# GLCSJ200W - 200W

# Bicolor LED focusing luminaire with Fresnel lens.

Power consumption 200W. Input voltage 100 - 240V. Size 330 x 480 x 518 mm. Weight 9,5 kg. Very good colour values.







### **Special Price:**

### 390,00 €

# GLCSJ450W - 450W

focussing LED bicolor Fresnel light, power consumption 450W, very good color values, full dimming.





	2m	3m
LED 450W 5600K	42213 lux @ 15°	20191 lux @ 15°
	9036 lux @ 60°	4520 lux @ 60°
LED 450W	39680 lux @ 15°	18979 lux @ 15°
3200K	8493 lux @ 60°	4248 lux @ 60°

**Special Price:** 


# non-focusing LED Lights with detachable Reflectors

# Mars M-300BI - 300W, Bicolor



Color temperature:	3200-5500K	CRI:	95Ra
Voltage	110-240V	Dimension:	380-135*220mm
Power:	300W	Weight:	2.6 kg

### List Price: 250,00 €



All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

non-focusing LED Lights with detachable Reflectors

# Nanlux Evoke 1200

The Evoke 1200 delivers stunning levels of flicker free, controllable light, comparable to that of a 1.8kW PAR or 2.5kW HMI Fresnel.

This has been created around a powerful COB LED source featuring state-of-the-art software exclusively developed by the Nanlux team.

Fully controllable, the EVOKE 1200 supports both wired and wireless control via Nanlink APP, DMX/RDM, Bluetooth and Lumenradio TimoTwo.

The highly accurate user interface, with its 0.1% precision allows for pin-point accuracy in both output and intensity.



### **Evoke Technical Data:**

Model	Evoke 1200
Rated Power	1200 W
Input Voltage/Current	DC48V/25A Max, AC100-240V 50/60Hz
OPTICAL	Beam Angle: 120 LED Type: W
CRI	96
TLCI	97
сст	5600K
Dimming	0-100% in ultra-precise intervals of just 0.1%
IP Rating	IP54
Control	On-board controller, 2.4G, Bluetooth, DMX, RDM, LumenRadio, Wire Control
On Board Effects	INT Loop, Flash, Pulse, Storm, TV, Paparazzi, Candle/Fire, Bad Bulb, Firework, Explosion and Welding
Product Size	Light Fixture (without Yoke): 330 241 210mm/12.99 9.48 8.26" Light Fixture (with Yoke): 503 370 210mm/19.8 14.56 8.26" Power Supply: 376.5 181 246mm/14.82 7.12 9.68"
Product Weight	Light Fixture: 6.94kg/15.3lb Power Supply: 10.5kg/23.14lb Yoke: 1.84kg/4.05lb
Includes	Evoke 1200 x 1, Yoke x 1, Power Supply x 1, Reflector x 1, DC Cable 5M x 1, Power Cable 4.5M x 1, User Manual x 1, USB Flash Drive x 1, DMX Reference Guide x 1, Thank You Card x 1
Optional Accessories	Fresnel Lens , Squre Softbox , Octagonal Softbox , Lantern Softbox , Parabolic Softbox 150cm , NL Mount Reflector 26 , DC Cable (10M&15M) , Two/Four Lights Frame , Flight Case

**Special Price:** 

1.692,00 €

# Z180 - Daylight

### Tecpro Z180 daylight - brand NEW

### Z-180 technical specifications


- Internal Power: 6 AA Batteries or Sony NP-F (non-removable)
- External Power: 5,8 16,8 V
- Max. Power Consumption: 14 W
- Measurements: 17,0 x 11,4 x 5,9 cm
- Weight: 481 g






### Z-180 comes with:

- 1 Metal ball joint with shoe with 1/4" screw
- 1 Diffusion filter
- 1 Tungsten conversion filter





### List Price: 315,00 €

**Special Price:** 



All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

# Z1805 - Bicolor

### Tecpro Z180S Bicolor - brand NEW



Joining several Z-180 lights, sideways or above each other, provides automatically the control contacts – thus all coupled lights can be dimmed from one control knob whilst with the Bicolor Z-180S version one single other knob controls color temperature for all lights.





- Can





Both products (the pure Daylight Z-180 as well as the Bicolor Z-180S) show values with higher output and even light and color distribution over the entire lit field with a near perfect color rendition which surpass most other comparable lights.

color	Z-180 Daylight	Z-180S Bicolor
	17 W	8,5 W to 17 W
Daylight	1080 Lux CRI 78,9	505 Lux CRI 78,4
Tungsten with Filter	580 Lux CRI 84,9	275 Lux CRI 84,9
Tungsten with LED color change	_	420 Lux CRI 86,8
Medium color position (approx 4.200 K)	-	1040 Lux

### List Price: 335,00 €

**Special Price:** 

# Pocket Ledrama - brand NEW

The Pocket Ledrama can be used as onboard light on a camera. It can be used equally well as an offboard light, alone or with other such lights. Possibly in combination with our small focusing LED lights.





T





Technical Data	
Angle of exit:	45°
Weight:	1100g / 38.8 oz
Mounting:	1/4" thread
Power supply:	6-18V DC
Input for external power:	mini jack 2.5 mm
	alternatively: Sony NPF battery
Power current:	at 6V maximum 2.9 A, at 15V maximum 0.97 A
Power consumption:	14.6W, maximum 17.4W
Color temperature range:	3200K – 5600K, continuously adjustable
Color quality:	CRI 93, TLCI 94
Working temperature:	-20 to +45°C / -4 to 113°F
Protection Class:	IP20
Expected lifetime of LED (LM70)	50,000 h
Dimming:	manual or wireless 100 to 0%

### Photometric Data

	1m/3ft	2m/óft	3 m/9ft
3200K	1270 lux / 117 fc	318 lux / 29 fc	141 lux / 13 fc
5600K	1283 lux / 119 fc	320 lux / 29 fc	143 lux / 13 fc

List Price: 603,00 €

**Special Price:** 

# Weeylite RB08P

Mini RGB Portable LED Light. Select from 360 colors in RGB mode or adjust the color temperature from 2500 to 8500K. The light is dimmable from 100% brightness to 10%. Integrated 3000mAh battery with micro-USB charging port. 8W



### **Special Price:**

# K160

Daylight LED Video Light Standard hot shoe (cold shoe) with 2 x 1/4"-20 threads Magnetic Tungsten Filter, Magnetic diffusion Filter Battery operated by: 2x AAA batteries



### **Special Price:**




# 15,00 €

26,00 €

### All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

### K320 • NEW

Daylight LED Video Light Standard hot shoe (cold shoe) with  $2 \times 1/4$ "-20 threads Magnetic Tungsten Filter, Magnetic diffusion Filter Battery operated by: 4x AAA batteries



**Special Price:** 

### K480 • NEW

Daylight LED Video Light Standard hot shoe (cold shoe) with  $2 \times 1/4$ "-20 threads Magnetic Tungsten Filter, Magnetic diffusion Filter Battery operated by: 4x AAA batteries



### **Special Price:**

The

# TP-FEA100-BI • NEW

Tecpro Feather bicolor LED panel. 16W. AC and DC operations with NPF batteries (not included). Color temperature adjustment from 3200 to 5600K



**Special Price:** 

# TP-FEA144-BI • NEW

Tecpro Feather bicolor LED panel. 15W. AC and DC operations with NPF batteries (not included). Color temperature adjustment from 3200 to 5600K



# Visico LED-25A

25W, Bicolor, AC and DC operations



### **Specifications**

Model:	LED-25A/50A	L
Power output:	25W/50W	$\sim$
Illuminance:	200lux/m/500lux/m	
Brightness:	Adjustable 0-100%	
Color temperature range:	Adjustable 3200~5600K	P
Color rendering:	≥96	
TLCI:	≥97%	V

LED service life:	≥30000
Connection:	Cold shoe with 1/4"-20 thread hole/ Ø16 connector
Power source:	NP-770 4800mAh/7.4V Lithium battery or AC100-240V 50-60Hz DC 7.2-15V adapter/NP-770 4800mAh/7.4V Lithium battery or AC100-240V 50-60Hz DC 7.2-15V adapter
Weight (kg):	300g/1100g
Size (cm):	165x115x25mm/350x240x25mm

### **Special Price:**

### 22,00 €

The

# W64RGB

### 6W RGB LED Light

- 2500-9000K Color Temperature
- Full RGB
- 20 x Preset Colors & Effects
- CRI 95+
- Built-In 2000 mAh Lithium-Ion Battery



### **Special Price:**

 $\bigcirc$ 

Mini LED panels - Ideal for on-board and focused whitening

# W140RGB

8W RGB LED Light

- 2500-9000K Color Temperature
- Full RGB
- 20 x Preset Colors & Effects
- CRI 95+
- Built-In 3100mAh Lithium-Ion Battery





### **Special Price:**

## 17,00€

# TECPRO®

Tecpro Twins LED onboard light to be used with NPF batteries.

- LED battery video light for voltage 5.8-8.4 V.
- This can be operated with NPF batteries, like F970 or F750 or FF550 .





**Special Price:** 

each 20,00 €

both together 30,00 €

# **LF-Y500 • NEW**

Doub flexible Arm Bi-Colour LED Light with Smartphone Holder. 3000-6500 °K. AC an operations with NPF batteries (not included).


The LF-Y500 LED light and leaders two dimmable LED lights, each boasting a 50 W around a luminous flux of 1500 lm. The flexible successful and solve to effortlessly position the lights around a diminous differ a 360° rotation. A handy addition is the successful smartphone holder that can be around a to the lamp holder, accommodating smartphones up to 8 cm in width.



35,00€

**Special Price:** 

# Luxceo P200



## Various Lowel Lighting Kits from our own rental

Used Lowel lighting equipment. All used, some heavily used. We have not individually tested each of the items, but we assume, that practically all of those would be fully functional. Some of these kits make sense as stand-alone lighting kits, others could be combined, if you buy two kits and see, what fits your wishes and your needs.

No. 1

#### Lowel kit softlight with:

- 1 x soft light light head
- 1 x textile cover,
- 2 x lamps inside,
- 1 x lamp extra
- 1 x lighting stand



#### Appears to have had little use

(list price at B & H (NEW): 399 USD)

#### **Special Price:**

### 140,00 €

#### No. 2

### Lowel transport case including 3 Omni lights with barn doors

Collapsable filter holders

- 3 x scrims
- 3 x lighting stands
- 1 cable missing

Lamps included



### Noticeable signs of use

**Special Price:** 

110,00 €

## Various Lowel Lighting Kits from our own rental

Used Lowel lighting equipment. All used, some heavily used. We have not individually tested each of the items, but we assume, that practically all of those would be fully functional. Some of these kits make sense as stand-alone lighting kits, others could be combined, if you buy two kits and see, what fits your wishes and your needs.

### No. 3

Lowel transport case with 2 Lowel DP lights

#### Can be used with lamps up to 1,000 W

Including 2 lamps

- 2 x cables
- 1 x spare lamp
- 2 x lighting stands



#### Signs of use

#### **Special Price:**

### 110,00€

#### No. 5

#### Lowel transport case including 3 Omni lights with barn doors

3 x scrims No lighting stands No spare lamp



### Noticeable signs of use

**Special Price:** 



All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

## Various Lowel Lighting Kits from our own rental

Used Lowel lighting equipment. All used, some heavily used. We have not individually tested each of the items, but we assume, that practically all of those would be fully functional. Some of these kits make sense as stand-alone lighting kits, others could be combined, if you buy two kits and see, what fits your wishes and your needs.

### No. 6

#### Lowel transport case with 4 Lowel DP lights - No lamps inside

- 4 x extra lamps
- 3 x lighting stands
- 4 x scrims



#### Signs of use

#### **Special Price:**

## 180,00 €

### No. 7

#### Lowel transport case with 3 Lowel DP lights - Lamps inside

- 3 x spare lamps
- 2 x lighting stands
- 4 x scrims



### Signs of use

**Special Price:** 

#### 140,00 €

### Various Lowel Lighting Kits from our own rental

Used Lowel lighting equipment. All used, some heavily used. We have not individually tested each of the items, but we assume, that practically all of those would be fully functional. Some of these kits make sense as stand-alone lighting kits, others could be combined, if you buy two kits and see, what fits your wishes and your needs.

#### No. 8

#### Lowel transport case with 4 Lowel DP lights - Lamps inside

- 4 x extra lamps
- 3 x lighting stands
- 4 x scrims
- One of the 4 closing latches is defect



#### Signs of use

#### **Special Price:**

### <u>190,0</u>0 €

No. 9

#### Lowel transport case with 5 Lowel Tota lights Lamps inside

- 4 x Lowel Omni lights
- 4 x filter frames
- 1 x door holder
- 4 x extra lamps
- 2 x lighting stands



### Signs of use



# P

# Various Lowel Lighting Kits from our own rental

Used Lowel lighting equipment. All used, some heavily used. We have not individually tested each of the items, but we assume, that practically all of those would be fully functional. Some of these kits make sense as stand-alone lighting kits, others could be combined, if you buy two kits and see, what fits your wishes and your needs.

### No. 10

### Her we offer only what is shown in the open lid

- 4 x filter frames
- 4 x Lowel umbrellas

As shown in picture



#### Signs of use

# 

### Various Lowel Lighting Kits from our own rental

Used Lowel lighting equipment. All used, some heavily used. We have not individually tested each of the items, but we assume, that practically all of those would be fully functional. Some of these kits make sense as

stand-alone lighting kits, others could be combined, if you buy two kits and see, what fits your wishes and your needs.

### No. 12



25,00 €

### Signs of use

# Brand-NEW, full warranty Lowel V-Light 500 W 230 V – NEW

Powerful enough to light a small room yet small enough to fit in a large pocket, the Lowel V-Light can be used as a broad key-light, a fill-light (with an umbrella or diffusion gel), a back-light, or a background light. It's also excellent for copy work.

When fitted with a V1-240/250-volt bulb, this V-Light will emit a beam of 37 footcandles with the barndoors at normal position, and 20 footcandles with the barndoors at 180° position, from a distance of 10' (3m).

This is a 230 volt model. The bulb is available separately. Other bulbs and plug adapters are available.

#### Lowel V-Light LL-V1-10CE



T1-26 Tota-brella, Special/White



#### List Price: 31,00 €

Special Price: 25,00 €

#### LL-O1-33 Omni stand

max height 2.74 m, folded length 69 cm, Weight 1,2 kg

#### List Price: 122,00 €

#### LL-DT-33 KS Jr. stand

max height 2.3 m, folded length 65 cm, Weight 1,6 kg

#### List Price: 154,00 €

#### LL-UN-33 Uni stand

max height 2.4 m, folded length 54.6 cm, Weight 1,1 kg

#### List Price: 104,00 €

Special Price: 61,00 €	Special Price: 77,00 €	Special Price: 52,00 €
LL-LC-30 Rifa Balance Bar	LL-LC-74 User Serviceable Rifa eX 44 Retrofit Kit	
		Lamp 500 W LL-V1-230V R7s, 114,2 mm
List Price: 43,00 €	List Price: 144,00 €	List Price: 31,00 €
Special Price: 19,00 €	Special Price: 56,00 €	Special Price: 16,00 €
LL-LB-15 Blender Duo Carry Case	LL-LB-24 Slim Litebag Carry Case	LL-DT-84M DP3 Case
loweller.	luuger	
List Price: 85,00 €	List Price: 90,00 €	List Price: 454,00 €
Special Price: 34,00 €	Special Price: 39,00 €	Special Price: 195,00 €

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.







D

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

### **Brand-NEW**

# **\*dedolight® ASEQ LR1**

# Spectrum Analyzer

## ASEQ LR1

- A perfect test instrument for the evaluation of LED (and any other) light source
- Display of color triangle, showing color coordinates and relationship to Planckian curve
- Kelvian values
- Precise information about color performance (expanded CRI) for 14 colors
- Spectral distribution
- Calculates TLCI values
   (television lighting consistency index)
- Needs a Windows computer or Apple Mac with Window installed
- All other accessories included





Brand-NEW, full warranty



# Chimera Speed rings

These are the rings that fit to the front of the described light heads and serve the attachment of Chimera softboxes



# If you want to make an offer for all of these speed rings as complete package, please send us your best price offer. This will certainly be considered.

# 9670	165mm - ARRI 650, Altmannn 650L	List price 106,00 €	Special Price price 35,78 €
# 9810AL	130mm	List price 139,00 €	Special Price price 46,88 €
# 9205	245mm - ARRI 2000,	List price 333,00 €	Special Price price 112,39 €
# 9265	325mm – ARRI 1200	List price 389,00 €	Special Price price 131,29 €
# 9271	295mm -	- Any offer fro	m you will be considered -suggestion -
# 9281	340mm -	- Any offer fro	m you will be considered -suggestion -
# 9325	395mm – Mole Richardson 2500,5000	List price 389,00 €	Special Price price 131,29 €
# 9345	400mm – LTM LT5000	List price 389,00 €	Special Price price 131,29 €
# 2900	ARRIlite 650/800/1000	List price 83,00 €	Special Price price 28,01 €
# 2935	Lowel Omni	List price 152,00 €	Special Price price 51,30 €
# 2935QR	Lowel Omni Metall Quick release	List price 208,00 €	Special Price price 70,20 €
# 2955	Lowel V-light	List price 46,00 €	Special Price price 15,53 €
# 2960	Lowel Fren-L-650	List price 92,00 €	Special Price price 31,05 €
# 9505	Lowel HMI DP	List price 111,00 €	Special Price price 37,46 €
# 9520	Mole Nooklite	- Any offer fro	m you will be considered -suggestion -
# 9560	laniro/Desisti/Cosmo/Redhead	List price 139,00 €	Special Price price 46,91 €
# 9575	Sachtler 200D	List price 333,00 €	Special Price price 112,39 €
# 9590	RDS Unifocus 575	List price 152,00 €	Special Price price 51,30 €
# 9710	Kobold DLF200/SM300/DF200	List price 92,00 €	Special Price price 30,83 €
# 9735	Mole Mighty 2000/ Kobold DLF575/	List price 360,00 €	Special Price price 121,50 €
# 9780AL	Buglite 125-400	List price 139,00 €	Special Price price 46,91 €
# 9850	162mm	List price 106,00 €	Special Price price 35,76 €
# 9755	ARRI X 40/25	List price 337,00 €	Special Price price 113,74 €
# 9013	Lowel4xDP	- Any offer fro	m you will be considered -suggestion -
# 9100	170mm Mole Richardson 575, 1000,	List price 166,00 €	Special Price price 56,03 €
# 9120	185mm Mole Richardson Par 575,	List price 166,00 €	Special Price price 56,03 €
# 9160	215mm ARRI 575, Sachtler Dir.575D,	List price 166,00 €	Special Price price 56,03 €
# 9190	197mm ARRI 1000, Compact 575	List price 166,00 €	Special Price price 56,03 €
# 9610	75mm Mole Richardson Tiny 200	List price 106,00 €	Special Price price 35,76 €
# 9640	127mm ARRI 300, LTM Pepper650	List price 106,00 €	Special Price price 35,76 €
# 9650QR	135mm quick release	List price 148,00 €	Special Price price 49,95 €

# 9505

Lowel HMI DP

List price 111,00 €

Special Price price 37,46 €

56,00 €

15,00€

18,00€

# **Brand-NEW, full warranty** Chimera Barndoors

This pair to help control flare in the lens. Available in pairs for the Lightbank's short or long sides.

3180, short side of Large Softbox List Price: 185,00 €

Special Price:

**Special Price:** 

**Special Price:** 

List Price: 55,00 €

3105, short side of XXSmall Softbox List Price: 46,00 €

3100, long side of XXSmall Softbox

3110, long side of XSmall Softbox List Price: 69,00 €

Special Price:	22,00 €
3140, long side of Large Softbox List Price: 217.00 €	
Special Price:	€6.00

# Chimera Color correction - Gels



€ 00,00

€0,00 €

4840, Full blue large List Price: 205,00 €

**Special Price:** 

4841, 1/2 blue large List Price: 205,00 €

**Special Price:** 

## 4830, Full blue medium List Price: 112,00 €

 Special Price:
 34,00 €

 4831, 1/2 blue medium
 112,00 €

 Special Price:
 34,00 €

# Video Pro Shallow Bank

CHIMERA Video Pro Shallow Bank Small (1 Front Screen) Nr. 8024



List Price: 407,00 €

**Special Price:** 

125,00 €



# **LG-A30**

LEDGO WiFi 2.4G and DMX Control Box

- 0 100% Flicker-Free Brightness Control
- Single LEDGO 2.4 Wifi Control box can control all your lights from a distance of 100 meters (including ALTA Range)
- Provides an access point for Wifi enabled lights controlled by the FREE IOS or Android App
- Control all lights on the WiFi network
- Wirelessly control brightness, colour, colour temperature and special effects
- Set and save different lighting scenes

Master-Slave mode control achieved by using two LG-A30s, no signal shielding caused from being in different spaces Power: DC or Sony NP-F battery

#### List Price: 354,00 €

**Special Price:** 

# LG-4824V

LEDGO Power Supply / Battery Charger

A portable power-supply solution for LEDGO 24V/48V LED fixtures.

Lightweight and compact. Flexible, can be either battery charger or power supply.

#### List Price: 777,00 €

**Special Price:** 



## 500,00 €

145,00€

# **b&s Flicker-Analyzer**

The Flicker Analycer P.R.O.F. can be used for measuring the flicker factor and frequency of light whenever a minimum of light-flicker is required or actual value of the light in the operating area shall be evaluated.

- direct check of light
- very fast test of flicker factor (abt. 5 sec.)
- easy handling (small hand-held optical meter)

#### List Price: 446,00 €

Special Price:



### 235,00 €

# Spectra Candela II-A

Model C 310-A

Portable, hand-held photometer. It can measure foot-candles /lux and calculate contrast ratio and the average of your lighting situation. Illuminance and luminance measurements are in foot-candles, lux and foot-lamberts or cd/m2.



# Lamps

### **Stock Clearance !**

# From our stock of lamps.

These are lamps which we do not use for our dedolight products

### Metal Halide / Osram

T	Watt	Socket	Manufactu- rer	Code	Quantity	Special offer
4	12000	G38	GE	48468	7	900,00 €
	6000	G38	GE	48467	4	600,00 €
	4000	G38	GE	27765	3	175,00 €
LE CONTRACTOR	4000	G38	GE	48466	2	175,00 €
E	2500	G38	GE	40482	4	130,00 €
It	1200	G22	GE	4940	5	100,00 €
	1200	G38	GE	27764	1	120,00 €
47	800	G22	Sylvania	BA800SE	51	99,00 €
T SI	575	G22	GE	48463	15	49,00 €
	400	GZZ9.5	GE	21853	3	40,00 €
F	200	GZY9.5	GE	48462	6	35,00 €
v	125	GZY9.5	GE	48461	6	35,00 €

if you want to purchase everything listed in the category shown above (metal halide/Osram), our offer is for:

#### **Special Price:**

14.000,00 €

### Architectural Metal Halide



Watt	Socket	Manufactu- rer	Code	Quantity	Special offer
150	G12	Sylvania	23978	192	12,50 €
150	G12	Osram	682055	48	7,00 €
150	G12	Osram	682079	37	7,00 €
70	G12	Osram	87664	145	7,00 €
70	G12	Osram	523488	84	7,00 €
70	G12	Philips		11	7,00 €
35	G12	Osram	5626	31	7,00 €
35	G12	Osram	5625	12	7,00 €

if you want to purchase everything listed in the category shown above (architectural metal halide), our offer is for:

**Special Price:** 

#### 3.000,00 €



### **Stock Clearance !**

Halogen

Watt	Voltage	Socket	Manufacturer	Code	Quantity	Special offer
5000	230	G38	GE	88875	25	27,00 €
2000	230	CP41	GE	88489	8	6,50 €
1200	80	G22	Philips	6980Zq	6	10,00 €
1200	80	G22	GE	88439	12	10,00 €
1000	120	G22	GE	88622	8	9,00 €
1000	230	G22	GE	88458	28	6,00 €
1000	230	G22	Osram	64747	9	6,00 €
650	230	CP39	GE	20320	6	7,00 €
500	230	GY9,5	GE	30459	26	5,00 €
500	230	GY9.5	GE	39624	137	5,00 €
300	230	GY9.5	GE	88433	52	5,00 €
300	230	GY9.5	GE	88433-B	19	5,00 €
300	240	GY9.5	GE	39779	23	5,00 €
300	240	GY9.5	GE	88444	52	5,00 €
150	230	GX6,35	GE	30584	11	5,00 €
150	230/240	G6,35	GE	88492	24	15,00 €
2000	230	Rx7s	Osram	64781	12	8,50 €
2000	240	Rx7s	GE	88481	6	10,00 €
1000	220/230	R7a-15	GE	20249	54	2,00 €
1000	230	R7s	Osram	64583	9	2,00 €
800	230	R7s	Osram	64571	23	2,00 €
400	230	R7s	Osram	64702	20	2,00 €
300	240	R7s	TE lighting	TE64701	35	3,00 €

#### if you want to purchase everything listed in the category shown above (halogen), our offer is for:

**Special Price:** 

3.000,00 €



Kino Flo sp	Kino Flo spare parts list				
Part #	Description	List Price EUR per piece	Stock	Total	
1040026	Metal Oxide Varistor 150VAC EA	0,47	2	0,94 €	
1040035	DIODE-BRIDGE-GBU8M	3,38	11	37,13€	
1060028	Resvar 10K 0.1W Linear	2,78	1	2,78 €	
1080021	TRANS-NPN-BUL416-TO220	2,64	23	60,69€	
1080023	TRANS-NFET-STP20NM50T0220	4,81	30	144,17€	
1170003	EMI-5A-250V	13,33	]	13,33€	
1180017	XFMR-TX.51	5,28	15	79,17€	
1270110	CT-XLR-PANEL-FEMALE-5PIN-CUP *	10,00	3	30,00 €	
1270325	CT-XIr-Panel-Female-5-Pin	9,86	2	19,72€	
1280014	RLY SPDT Vista 96VV Ballast	4,03	4	16,11€	
1290016	SW-TOGGLE-MINIATURE-DPDT-6A	8,06	2	16,11€	
1290038	SW-Toggle-Mini-SPDT-5A-PCB-RA	8,33	1	8,33€	
1290047	SVV-Rocker-DPST-16A-Lit-Red-125V	4,72	3	14,17€	
1290055	Switch Rocker Mini DPST 12A-250V	2,75	15	41,25€	
1290063			4		
1300020	Fuse Slow Blow 4A/250V	0,66	11	7,21€	
1300022	FU-5X20-Cer-Sloblow-6.3A/250V for 1320016	0,66	4	2,62€	
1320014	Fuseholder Panel Mount 5X20 Lopro Snapin	4,44	22	97,78€	
1320015	Fuseholder-Screw Mount for BAL415-230	2,64	8	21,11€	
1320016	Fuseholder-Panel Mount	3,39	8	27,11€	
1380002	Lampholder T12 Bi-pin Twist. for Flathead	1,39	6	8,33€	
1380013	LAMPHOLDER-CIRCLINE-12LEAD	6,67	1	6,67€	

# **KinoFlo Spare parts**

P

Kino Flo spa	re parts list			
Part #	Description	List Price EUR per piece	Stock	Total
1380014	Lampholder-Compact-2G11 "ParaBeam" 55W	2,89	5	14,44 €
1380017	Lampholder T12 Bi-pin Twist w/ Spring. Used in Rev H or higher.	0,81	48	38,67€
1380022	Lampholder G10Q	4,03	11	44,31€
2150008	Pin Push Grommet Black	0,83	5	4,17€
2150010	Pin Push Plunger White	1,14	6	6,83€
2160041	strain relief cable .315360 for 123006	1,08	1	1,08 €
2240003	KNOB RND 10-32 3/8" STUD BLK MF HAR	3,06	15	45,83€
22240005			4	
22400019			4	
2240010	Knob T 1/4-28 Blk	3,19	1	3,19€
2240016	Knob Lever 5/16-18 /75 Series	8,33	18	150,00 €
2240017	Knob Lever 1/4-20 X 2.56 /53 Series	8,33	5	41,67€
2240022	Knob Rd. Collet 1/8" X 14,5mm Blk. Sell w/2240024 (knob cover), 2240025 (cap)	2,11	]	2,11€
2240023	Knob Rnd Collet 6mm X 14.5mm Blk (Diva 1/3)	1,96	5	9,78 €
2240024	Knob Nut Cover 14,5mm Blk.	0,49	3	1,47€
2240025	Knob Cap 14mm Yel. w/Whit Line.	0,54	2	1,09€
2290007	CLIP LAMP COMPACT 55W ST ZI	0,97	4	3,89€
2290018	CLIP LAMP T5 ST ZI "KAMIO"	0,64	9	5,75€
2290023	CLIP LAMP COMPACT T7 ASSEMBLED	3,81	16	60,89€
3090016	LATCH, DIVA, FOTOFLO, KAMIO CASES	8,33	5	41,67€
3090020	KEYS FOR KINO FLO CLAMSHELL CASES	0,42	13	5,42€
4010002	CELEB 100W DC/DC CONVERTER MODULE	319,44	3	958,33€
4010023	CELEB DMX CONTROL BOARD 2-JACK	319,44	6	1.916,67€
4010024	Celeb DMX Control Board 4-JACK	402,78	3	1.208,33€
5010028	FIXTURE ACCESSORY SLOT SPRING	1,75	5	8,75€
5260017	OMNIMOUNT 53 SERIES KIT	36,11	1	36,11€
5260060	53 Series Loose Jaw	6,94	2	13,89€
5550004	Clip II Transistor ST ZI "VG3/VG4"	0,23	11	2,57€
6070076	427/457 Lamp Harness	28,89	1	28,89€
6110031	Select SW ASSY 4Bank 400/410/415	21,11	3	63,33€
6110032	Select SW Assy Double 210/215	17,78	1	17,78 €
6110041	Select SW Assy. IMG 45	26,67	2	53,33€
6110044	VistaBeam 610 Lamp Selector SW	36,11	5	180,56 €
6110051	4Bank 230V Ballast Lamp Wiring Assy	51,11	1	51,11€
6600016	Img/Wol Dmx Motherboard	52,78	5	263,89€
6800233	LED power module		1	
6800235	LEDencoder		1	
6800037	Mini-Flo 139 Ballast Board	52,78	1	52,78€
6800042	12VDC BAL-140 BALLAST ROHS *	75,00	3	225,00€
6800062	Mini-Flo 239X Ballast Board	58,33	2	116,67€
6800068	HO-STD Control Relay (BAL-450)	30,56	2	61,11€
6800094	Kamio Ballast Board	66,67	2	133,33 €
6800095	DMX MOTHERBOARD-MODEL 95 ROHS	47,22	2	94,44 €
6800095	6800096 VistaBeam Ballast Board	69,44	4	277,78 €

# **KinoFlo Spare parts**

Kino Flo spa				
Part #	Description	List Price EUR per piece	Stock	Total
6800120	Barfly Ballast Board	63,89	2	127,78€
6800125	DMX Motherboard VistaBeam	69,44	2	138,89€
6800144	PWS-5V-1A-12V-25MA-240V-SAMTEC-ROHS	47,22	3	141,67€
6800146	Used in Vista Single model # BAL-125 and VistaBeam series, model #'s VIS-610 & VIS-310. Replace VB1 Series with VB2 (Part #6800509) Ballast Board.	80,56	2	161,11€
6800149	Power Supply 5V 5W 12V 50MA	43,33	5	216,67€
6800160	Diva 401 Lampholder PCB Assy.	41,67	1	41,67€
6800167	DMX Jacks Auto Terminate	32,22	4	128,89€
6800187	Imara Lampholder Assembly	32,22	4	128,89€
6800192	Imara S6 Switch Control Board. Replace w/ same.	25,00	3	75,00€
6800199	DMX Motherboard-Imara	52,78	3	158,33€
6800204	Tegra 450 DMX Control Board	63,89	10	638,89€
6800206	Mosfet Switcher 3x	41,67	5	208,33€
6800220	DMX Motherboard - Model 220	69,44	2	138,89€
6800500	TG1 Tegra Ballast Board	75,00	1	75,00€
6800523	Diva 415 Control Board	58,33	1	58,33€
AMP-1	Extraction Tool for Pins/Sockets	11,39	3	34,17€
EXP-LHC-T12	Lamp Holder Clips T12, 24pk	7,50	4	30,00 €
FRB-C1	CELEB 200 FRAME BRACKET ASSMBLY# 1	12,22	3	36,67€
HAR-2401	2ft Single Locking Harness	23,33	8	186,67€
HAR-2402	2ft Double Locking Harness	44,44	2	88,89€
HAR-2404	2ft 4Bank Locking Harness	72,22	1	72,22€
HAR-4804	4ft 4Bank Locking Harness	80,56	1	80,56 €
HAR-7201	6ft Mega Single Locking Harness	33,33	2	66,67€
HAR-7202	6ft Mega Double Locking Harness	58,33	4	233,33€
HAR-7204	6ft Mega 4Bank Locking Harness	97,22	2	194,44 €
HAR-9602	8ft Mega Double Locking Harness	58,33	2	116,67€
HAR-9604	8ft Mega 4Bank Locking Harness	97,22	3	291,67€
PRT-BX 1	Single Ballast Connector Assembly	13,06	83	1.083,61€
PRT-BX2	Double Ballast Connector Assembly	13,06	64	835,56€
PRT-BX4	4Bank Ballast Connector Assembly	14,44	8	115,56€
PRT-BXM2	Mega Double Ballast Connector Assembly	13,06	10	130,56€
PRT-BXM4	Mega 4Bank Ballast Connector Assembly	14,44	11	158,89€
PRT-CR1	Ersatzteile fur single-kabel		4	
PRT-CR2	doble mega single connector locking ring 4pk		5	
PRT-CR4M	Mega 4Bank Connector Locking Ring, 4pk	7,50	1	7,50€
PRT-FET	Ballast Feet, 24pk	10,28	2	20,56 €
PRT-FET2	Ballast Feet, 15 & 55 Series, 24pk	10,28	1	10,28 €
PRT-FET3	Ballast Feet, 27 & 57 Series, 24pk	11,39	2	22,78 €
PRT-FET-L1	LED -150 controller feet 4pk		8	
PRT-FH 1	Single Fixture Silver Conduit, 4pk	13,06	6	78,33€
PRT-FIX-1 S	Single Fixture Wire Channel Repair Kit-Silver	15,83	2	31,67€
PRT-FIX-2S	Double Fixture Wire Channel Repair Kit-Silver	15,83	1	15,83€
PRT-FIX-T4H	Tegra 4Bank Hinge Repair	12,22	3	36,67€
PRT-HC	Harness Release Clamp (UL), 1pk	4,72	2	9,44 €

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

# **KinoFlo Spare parts**

Kino Flo spare	e parts list			
Part #	Description	List Price EUR per piece	Stock	Total
PRT-HCC	Kino locking lamp connector		15	
PRT-LVB	Black Louver Clip w/ Strap, 4pk	6,94	3	20,83€
PRT-M81	Mount Hardware Replacement Kit	5,56	10	55,56€
PRT-MD42	Mount Hardware Replacement Kit	5,56	4	22,22€
PRT-MGF-4	Mega 4bank female connector assembly		3	
PRT-MGM-4	Mega 4Bank "Male" Connector Assembly	15,00	7	105,00 €
PRT-PVVS-52	Repair Kit Pws 5/12V DMX	51,11	1	51,11€
PRT-PWS-CE2	Repair Kit PWS-CELEB200	108,33	1	108,33€
PRT-PWS-CE201	Repair Kit PWS-CELEB200/201	108,33	1	108,33€
PRT-PVVS-S39	Repair kit select 150		1	
PRT-SC100	Screws for Kino Ballast Lids, 100pk	5,56	2	11,11€
PRT-SC200	Screws for Kino Ballast/DMX Lids, 100pk	5,56	2	11,11€
PRT-SC400	Screws for Kino Ballast/Lids, 27 & 57 Series, 100pk	10,00	2	20,00 €
PRT-TEGS	Tegra 4Bank Switch Guard	2,78	6	16,67€
PRT-VB-135	VistaBeam Center Mount Screw Set (Metric)	13,33	8	106,67€
PRT-VB-175	VistaBeam Locking Lever (Metric)	16,61	3	49,83€
PRT-VVAL-175	Wall-o-lite brass lever assembly		1	
PRT-XF 1	Female Single Connector Assembly	13,06	18	235,00 €
PRT-XF2	Female Double Connector Assembly	13,06	21	274,17€
PRT-X/M 1	Single "Male" Connector Assembly	13,89	16	222,22€
PRT-XM2	Double "Male" Connector Assembly	13,89	4	55,56€
PWC-141X	Kamio Power Cable 4-Pin XLR, 8ft	32,22	1	32,22€
PWS-1524X	Power Supply 2.4A, 100-250VAC/12VDC (4-Pin XLR)	47,22	1	47,22€
PWS-156X	Power Supply 6.6A, 100-250VAC/12VDC (4-Pin XLR)	125,00	1	125,00€
SAMP2	AMP crimping tool (pins/sockets)		1	
SAMP3	Paladin self ADJ wire stripper		2	
TST-LAMP	Fluorescent Lamp Tester	136,11	1	136,11€
	VistaBeam Board 600 DMX		3	0,00 €
X04-A16	Single to 4Bank Combiner	51,11	2	102,22€
X04-A9	Single to Double Combiner	36,11	2	72,22€
X04-K15	Kamio Extension, 15ft	41,67	2	83,33€
X09-A16	Double to 4Bank Combiner	45,56	4	182,22€
X09-A4	Double to Single Splitter	47,22	3	141,67€
X09-A7M	Mega Double to Mega Single Splitter	47,22	1	47,22€
X19-A7M	Mega 4Bank to Mega Single Splitter	58,33	1	58,33€
X19-A9M	Mega 4Bank to Mega Double Splitter	58,33	1	58,33€

## Total value for all inclusing freight and customs

### Altogether 3,500 Euro (this is a reduction of 80%; or give us your best offer).

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

15.888,96 €









All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.



# Here, we offer various film cameras, which are all fully functional.

It has to be noted, that the batteries of these cameras, as far as we offer them together with the cameras, are available, but have not been used for a long time and therefore, the battery cells would need to be exchanged, if you wish to operate the camera. We can do that for you, but we have to charge for the upgrade.

If you want such cameras as collector's gems, or for museums, you may most probably not need batteries.

We offer here some absolutely excellent high-speed 16 mm cameras. But we have to point out, that these will need 16 mm film material with double sided perforation, which is not always easily retrievable these days, but we have been informed, that there are still a few sources active.

Some of these cameras are Photosonics Action Master 500 cameras. I've worked myself with them, - it was my best high-speed tool.

Apart from that, we have a complete set of the smallest high-speed film camera, Photosonics 1VN.

In the range of the regular 16 mm cameras, we offer an Éclair NPR camera.

**Not for sale**, only if you're interested, in my collection, I also have a 35 mm spring driven Zeiss high-speed camera, as well as a Debrie Super Parvo color camera, where my colleague Alex says, that this was operated by Charlie Chaplin.

Several Photosonics 4E cameras, as well as 4B Photosonics cameras with viewfinder systems, which we designed and modified.

A Debrie high-speed cameras 35 mm, which was used the last time in a Joe Lewis fight 1928.

We also have some original 16 mm Miliken cameras. One of those was used 1972 during the Olympics for Mr. Penn and his absolutely stunning movie about the pole vault,

wonderful images, reminding of a Leonardo painting.

I'll stop right here, before I get too emotional.

Until then, - take a look at what we're offering on the next pages and if you still have emotional or even practical ties to this work with traditional film, be it as a collector or as a user, then you will find something special here.

With best regards,

Dedo Weigert Dedo Weigert Film

### **PHOTOSONICS 1VN**

### PHOTOSONICS AM500, 16mm Highspeed Camera

The 1VN is the smallest, lightest, fastest professional motion picture camera ever created.

16 MM 1VN (24-200 fps) High Speed Film Camera Small and lightweight action camera to install on helmet, on cars, bikes, skateboards, skis, airplanes and other brackets

#### **Technical Data:**

Speed:	24-200 fps
Movement:	Intermittent, 2 pulldown arms,
	2 registration pins
Shutter:	120 degrees (fixed)
Film Spec:	16 mm double perf (2R).
	2944 or 3000 pitch on daylight spools
Power:	28V DC
Weight:	3.75 pounds including camera body
	and loaded 100 feet magazine

The 1VN is a non-reflex camera with a C-type lens mount. Viewing through the lens for line-up purposes is accomplished using a boresight device that attaches to the camera in place of the magazine.



Once the camera is locked in position, the boresight is removed and the magazine is attached. There is no provision for viewing through the lens while the camera is running.

#### lenses: C-mount:

- Angenieux 5,9 mm, f 1,8 Euro 650,00
- Bolex-Kern 10 mm, f 1,6 Euro 350,00



- or your best offer will be considered -

0

## Eclair NPR 16 mm Camera, the revolutionary classic

# **ECLAIR**

PR 16 mm Camera Ecla The French-r Eclair NPR (Noiseless Protable Reflex n camera, designed by Andre Coutant introducesd in 1963, motion picture camera with a gerat man " to it's name. The first of the socalled cinema verite motion pict ras. The first 16mm camera built fro ground up to be noiseless without the of an external blimp.

The first camera to offer factory-installed cableless crystal sync sound shooting. The first professional motion picture camera to offer coaxial magazines.

The first camera erogomically designed for more comfortable hand holding. The first camera, which could be modified for Super 16.

Complete set consists of: Camera body enieux vie

2x N

 $1 \times N$ ieux Z e with Cameflex Mount

- or your

Complete set:

1.900,00 € fer will be considered -

Length:	35cm/ 14 inch (54cm/ 21,5 inch) with zoom h
Height:	34 cm
Weight:	9,3 kg (20,5 lbs)
Shutter:	180 degrees foxed or adjustable 5 to 180 degrees in 5 degrees rements
Exposure Time	1/48th of a second at 24fps (180 degree shutter)
Filming Spec	4fps - 48fps max. (depending on motor used)
Battery Verse Requirements:	10.8 - 13.5v DC (12 v DC nominal)
Curre duirements:	2 amps @ 25 degrees C
Les unt:	(1) CA-1 bayonette type and (1) "C" threaded type
Flange Focal Distance:	CA-1 mount = 1.8897", C mount = .690"
Typical Noise Level:	29.5 dbs at 36"

### Fries 35R Camera

# FRIES

The Fries Mitchell 35R camera offered here is based on a Mitchell GC camera. That was the high-speed camera in the conversion by Doug Fries.


he Fries Mitchell 35R camera is one of the most reliable and compact high-speed production cameras available. The dual pin registration and 4-pin pull down mechanism make for the steadiest possible photographic images.

Such cameras were used on many feature projects like Die Hard, Mr. and Mrs. Smith, Battle Los Angeles, The A-Team, Rose Red, Final Destination and many more. This camera features an orientable viewfinder and in our offer is a video tap. 1000 ft (300 m) magazines, as well as 400 ft (120 m) magazines. Interchangeable lens mount. The standard highspeed motor, as well as the Noris single frame motor.

We have literature to back up all the operating instructions, if those are desired.









We offer the complete set for Special Price:



Norris / Pentax Intervalometer LPC-90 System

Model:	LPC-90 (Light Priority Control
Color:	Black-Textured Paint
Film Format:	35mm Mitchell Movie-camera
Туре:	LPC-90 (Light Priority Control)
Brand:	Norris Film Products

### 5.900,00 €

- Feel free to give us your best offer, which will be considered -

### State: used only one or twice, NEW condition



Blackmagic design Production Camera 4K PL including Tilta cage grip und support rods

- Super 35 mm sized image sensor with global shutter and a PL lens mount
- The camera is capable of recording ultra HD 4K (3840 x 2160) and 1080 p Video, using 10 bit Apple ProRes recording 422





# C PHANTOM

## The most compact professional S3D system

## with exceptional properties

### **Key Features:**

- Extremely compact and lightweight stereo 3D system
- Simply ONE camera with ONE lens assembly with two optical units in one single housing, ONE sensor, ONE recording medium
- Result: No camera alignment, no synchronization needed, images are automatically synchronized
- No differences between the two recorded images regarding color, luminance and scale
- Images are free of optical distortions and artefacts
- No problems with reflections or mirror effects, as may be found with mirror rigs
- Fast camera setup, fast work on the set
- Uncompressed onboard RAW recording (Phantom Cine RAW)
- High-speed recording up to 300 fps in S3D mode with a resolution of 4096x1152
- Depth of field equals 35mm recording
- Interocular distance of the optical units is variable for the definition of the image plane
- Includes a 3D calculator for fast and easy control of optimum depth of field and image plane
- Use of matte box and filters, identical with 2D shooting
- No limitations by weather, no disturbance by dust, rain, snow and dirt particles as you may often find with mirror rigs
- Compact system, ideally suited for shooting in confined spaces
- Easy handling on cranes as hand-held camera
- Use on a Steadicam
- Camera body weighs 5.5kg
- Ideal also to be used as a B-camera



- Any offer from you will be considered -

# Phantom Remote Control Unit

#### Phantom – Accessories The Remote Control Unit is a useful 5" companion. oht, portable device offers both control of the This Phantom hig cameras and work as additional onboard monitor. The RCU supports the entire highsp workflow. Set up the camera, trigger the shot, check using the LCD - screen, define with In- and Out-points the contents and save the result on the CineMag (CineFlash The 5" TFT touch screen technology allows you to control a with a tap of your finger. A scroll/jog dial gives you (and fast!) way to change many settings or to recorded cine. Handset, c ahtweight 740g) (17.75 cm x 10.2 The optional industrial P rectivity gives you the freedom to m RCU Control most Phantom can control the came 1Miro only via cable). With integrated video monitor (5) - Any offer from you will be considered -

# ATOMOS

# Samurai Blade monitor recorder

Atomos Samurai Blade is designed as a compact field recorder that can be attached directly to a camera or camera rig.

The device can record HD signals via HD-SDI, optionally in ProRes or DNxHD. The Samurai Blade stores data on standard 2.5-inch hard drives like those found in a laptop computer. In order to ensure reliable recording even in the event of strong vibrations, Atomos recommends the use of 2.5-inch SSD memories.

The Samurai Blade can record up to 12 digital audio channels, which are included as embedded audio in the HD-SDI signal. Analog audio can be recorded on 2 channels via a mini jack plug. A robust aluminum housing enables the recorder to be used even under harsh environmental conditions. The display integrated in the Samurai Blade has a resolution of 1280 × 720, with a screen diagonal of 5 inches.

A viewing angle of 179 degrees and a brightness of 400 nit make it possible to assess the subject to be recorded at any time. In addition to the peaking and zebra functions, there are other control tools that can be used to assess the image signal. For example, a vectorscope, a waveform monitor or an RGB parade display can be shown in the display of the Samurai Blade.

Atomos Samurai Blade stores video signals with a quantization of 10 bits with a color sampling of 4: 2: 2. The common HD resolutions up to a maximum of 1080i60 are supported.

Dimensions 153x87x48mm, weight without battery and HDD 345 grams Input voltage: 6.2VDC to 16.8VDC Power consumption: 3.3Watt (monitor only) 6.8Watt (monitor, play, recording) Power supply via NP batteries or DTap







Original price approx. 600,00 € to 700,00 €







# Transvideo Cinemonitor 6" Evolution SBL super bright Transvideo Monitor HD6SB

This monitor was specially developed for camera support systems such as Steadycam, Artemis and the like. With a max. brightness of over 1000 nits, the ALMCD panel can still display the image even in full sunlight due to specially coated front glass. Extensive measuring devices and analysis tools on board.

Waveform monitor, focus helper, 1:1 pixel zoom, exposure control via histogram and limits setting with false colors, framing, image flip, artificial horizon, freely configurable tally, audio display, time code display, iCooke lens reader make this monitor the reference class for the camera operator. Sturdy die-cast aluminum housing, passive cooling without fan and without ventilation slots/holes, protect against moisture and make this monitor the ideal tool for the sometimes rough everyday life on set. USB input for software updates, tally out.









Input voltage:	10-36VDC via 4 pin XLR
Power consumption:	14 watts
Supported formats:	1080p/1080i/1080psf/720p/SD SDI 525-626/NTSC/PAL/SECAM
HD SDI In/Out:	via BNC / Compostit/Component input via 8 pin Lemo.
Contrast ratio:	600:1
viewing angle:	+/- 80° H, +60/-80°V
Dimension:	195x168x60mm, weight1,4 kg.
Working temperature range:	-20°+55°C
Storage temperature range:	-40°+80°C

In sturdy hard pelicase with accessories.

Both monitors offered here HD6 and HD8 are several years old, but fully functional. List Price: 2.700,00 €

# **Camera Accessories and Grip**

# **TECPRD<sup>®</sup>** Monitor

# PrimaVista 7

### TP-MPV7

Extreme lightweight portable monitor. Allows viewing in broadcast quality, in color or black&white, whatever the situation demands. LED backlight of monitor provides high life expectancy and needs less current than traditional LCD monitors. Two video inputs and one audio input. Allows mixed (BNC, RCA) and HDMI connections. Monitor can be used with latest HD video cameras and 'high performance' DSLR cameras. Includes NTSC/PAL decoder with 4:3 and 16:9 image resolution. Monitor can be fed by one lithium battery. One adapter for Sony NPF batteries included.



Further adapters for Canon BP9 and Panasonic CGA available optionally.Includes foldable light shield and plastic ball joint.

25.00 €

#### Specification:

Screen Diagonal: 7.0" (diagonal) Display Size: 154 x 86 mm (6.1 x 3.4") Ratio: 16:9 / 4:3 selectable Resolution: 800 x 480 px Color Depth: 24-bit (16,777,216 colors) Brightness: 250 cd/m2 Contrast Dynamic: 500:1 Video Formats: FBAS - NTSC/PAL; HDMI - 480i/p, 576i/p, 720i/p, 1080i/p Input Voltage: 5.8 - 18.8 V DC Loudspeaker Output: 1 W max. Video In-/Outputs via BNC connector: AV1 - FBAS BNC connector (75 ohm) AV2 - FBAS RCA connector (75 ohm) HDMI Input: HDMI (type a) socket Audio In-/Output: RCA socket (75 ohm) 0.7 kg without battery Weight: 175 x 33 x 127 mm Size:

#### List Price: 310,00 €

**Special Price:** 

# **KINOPTIK Viewfinder**



Original list price can be determined upon demand.

Any offer will be considered -

# **NORRIS Contoller Motor A**



Original list price can be determined upon demand.

- Any offer will be considered

# **NORRIS Contoller Motor B**



Original list price can be determined upon demand.


Any offer will be considered

**Camera Accessories and Grip** 



**K-BOX TT Kit** Ex demo kit

K-Flect reflector kit with 17 reflectors and mounting devices





List price for full kit is 1.019.00 €

# **Camera Accessories and Grip**

# Vocas - phase-out product

There is no warranty on these devices! All products are no longer manufactured.

0350-0600 Pro Rail Support 15 mm für Sony

#### PXW-FS5

#### List Price: 450,00 €

### **Special Price:**





The Vocas 15mm Pro Rod Support is designed for use with mid-size camcorders. This rail support is also included in the Vocas Handheld Kit Pro and Handheld Kit Underneath for Mid-Size Cameras.



#### List Price: 245,00 €

**Special Price:** 

78,00€


 $15\,\mathrm{mm}$  Rail support specifically designed for Canon EOS C100 / C100 mk II / C300 / C300 mk II / C500 cameras. This 15 mm light weight rail support can easily slide over the included 15 mm bars and can be easily mounted to any third party tripodplate. The MBS-100 type M can also be used as a spacer for the BP-18, to provide 19 mm rail support for the Canon EOS camera. It includes a set of 15 mm rails of 350 mm in length.

### 0460-0200 15 mm Swing away for MB-450

#### List Price: 625,00 €

|--|

The Vocas 15mm Lightweight Swing Away Bracket connects the matte box to a rail support. The swing away bracket also allows you to detach the matte box from the lens quickly so that the lens can be changed without the need to disassemble the entire camera setup. This bracket is suitable for use with the MB-450 matte box.



**Special Price:** 







142





### Matte Boxes - ex demo equipment

# Matte Box System – P55-2

Matte Box 5x5" Basic Unit, 2 Filterstages,

2 Filterholder Combo 4x6"/5x5",

Top Flag and Side Flags,

19 mm Rod Adapter, Front Diameter 136 mm




List Price: 1.120,00 €

**Special Price:** 

174,00 €



All devices are used and show traces of use There is no warranty on these devices! All products are no longer manufactured.



#### 0400-0451 Vocas MB-450 matte box

#### List Price: 3.068,00 €

Special Price

790,00 €

#### - Any price suggestion from your side will be considered -

The MB-450 is a 5 stage 5.65" x 5.65" matte box designed for any EFP/HD/Film production, for use with lenses up to a front diameter of 144 mm.

Incl. Filterholder 4x5,65" V, 4x5,65", 4x4", Combo 5,65x5,65"/4x5,65", Mask, Wide Angle Top Flag, Side Flags, Flexible Adapterring, 19 mm Rod Adapter, Swing Away

#### **Camera Accessories and Grip**

#### **Power Grip**

#### Brand-NEW, full warranty

Suction mount for cameras with built-in vacuum pump, holding pressure over 400 kp. Mounting can also be on slightly curved surfaces.

#### A HOLDING DEVICE THAT REALLY HOLDS.

Since the pump creates a true vacuum, the Power Grip offers a suction and holding power like no other system. We have attached the Power Grip on racing cars, even at speeds of 300 km/h.

We have mounted a camera on a Cessna airplane, underneath the wing.

#### SAFETY CONTROL

The Power Grip shows whether the vacuum is still fully existing and will be kept continuously. If it happens that the Power Grip is mounted to a porous surface, this will be shown clearly in as much as the pump tube will start moving out, and a red mark will become visible.

The adjustable base plate allows angles from 90 degree to one side, and 60 degree to the other side.

The multiple holes don't only provide a serious saving in weight, but also many different variations for attachment.

#### **TECHNICAL DATA**

Suction mount diameter 25cm Weight: 2.7 kg Angled plate: 1.1 kg

CASE – With purchase of the complete system – free of charge

#### F16PG Power Grip

With angled plate and tool

#### List Price: 700,00 €

**Special Price:** 

#### F16PGSET Power Grip Set

Complete with case

List Price: 1.069,00 €

-	-		
Specia	Price:	694	
Specia			

#### F16PGWP Spare angled plate

List Price: 85,00 €

**Special Price:** 



#### **Power Grip Support System**

Since European cars only have relatively thin body panels, they will still allow vibrations. In order to avoid those, we developed the Power Grip Support System.

#### F16S Support

With double suction cup, 2 angled pieces and a steel pipe and tools

List Price: 185,00 €

#### **Special Price:**

#### F16PGSSET Power Grip / support Set

Larger case with Power Grip and Support

List Price: 862,00 €

#### Special Price: 560,00 €

#### F16PGSDS Double suction mount

List Price: 50,00 €

Special Price:

120.00

32,00 €

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

400.00 €

0€

#### **Camera Accessories and Grip**

#### Kenyon gyro KS 8x8 Kit

KS-8x8 Gyro Kit Gyro, Inverter, Battery Belt Pack and 6 hr. charger WITH CARRYING CASE

Weighs 10.4 lbs. (4.717 kg.)

Outside dimensions: 7.64" (19.406 cm) x 7.64" (19.406 cm)

3.7" (9.398 cm) high without accessories

Draws 4.6 amps (@12 volts) at start up dropping to 2.5amps in 10 minutes - 115 VAC 400 Hz

Can run up to 2 hours on fully charged Ken Lab battery pack

Stabilizes equipment in the 9-20 lb. (4.1-9.2 kg) range

The weight of this gyro is better suited for use with a mount or a bungee cord setup, but hand holding is possible.

A useful optional accessory we offer is called the D-Ring mount plate, a thin round plate

that attaches to the gyro and has 16 threaded holes to attach D-rings so the gyro can be suspended by bungee cords.

The kit contains the gyro with 5 foot straight cord, 12 volt inverter, 12 volt sealed lead acid battery in belt pouch, battery charger in a iM2400 Storm Case. The battery that is included will run the gyro for approximately 1.5 to 2 hours.





1.900,00 €

#### List Price: 5.412,00 €

#### **Special Price:**



**Camera Accessories and Grip** 



#### **TSS-01 Tilta Slider System**

sional slider system with a max payload of 60kg and with a rail length up to 2.4m long.

Featur

Ti

- Max p 50Kg
  Compatible Connor 2575D
- tripod head
- Precision ultra smoo
- State of the art materials and reduced weight
- Unique concentric connecting rails be extended to 2.4m
- Compatible with 150mm (+ most 100mm & 75mm) bowl and Mitchell Collar & Nut
- Wide variety of mounting solutions
- Can be easily installed upside down
- Slide away protection
- Simplified Balance Adjustment
- Wide range of optional accessories

#### **Package Contents:**

- 1 x Bowl
- 8x 40mm rod
- 4x Adapter
- 6x Rail connector
- 2x Slider supp
- 4x Alumin
   connector
- Ix Roi on supporter

Lişt cUR

**Special Price:** 

#### ARM-TO2 • NEW

Armor Man 2.0 Exoskeleton



List 2.311,00 EUR

**Special Price:** 



C

-0

C

700,00 €

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

#### Gravity GR-T03 • NEW

3-Axis stabilized handheld gimbal system.

It's built with high strength aluminum magnesium alloy, titanium alloy and carbon fiber.

Total weight is only 2.8kg (battery excluded).

Unique control for center gravity, can achieve precise 3-axis orthogonal full balance by turning the knob, which makes the whole system more stable and efficient.

Inner intelligent pointing system guarantees super stability, no system crashes and no drifting.

Designed for high end users, compatible for ARRI MINI, RED WEAPON, RED EPIC, SONY F55/FS7FS5 and CANON C300 MKII etc. Extremely versatile.







#### List Price: 3.800,00 €

**Special Price:** 

#### € 00,00

#### **BS-T10 • NEW**

15mm baseplate for sony FS7 camera



#### List Price: US\$ 450,00

**Special Price:** 



All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.



#### FF-T05 • NEW

Single-sided cinema follow focus (with safety case)



List Price: US\$ 999,00

**Special Price:** 

699,00 €

#### **MB-T05 • NEW**

4\*4 lightweight matte box



List Price: US\$ 450,00

**Special Price:** 







Side handle extension arm



List Price: US\$ 45,00

**Special Price** 

31,00 €

89,00 €

#### **BT-003-V** • NEW

DSLR power supply system (15mm rod adaptor) V lock



List Price: US\$ 179,00

#### **Special Price:**

#### FS-T01-V • NEW

Power supply system for sony FS7 camera V lock



#### List Price: US\$ 238,00

Special Price:





#### TT-0511-R-GH • NEW

Right Side Wooden Handle with R/S Button for Panasonic GH Series



#### List Price: US\$ 230,00

**Special Price:** 

#### WLC-T03-M • NEW

Nucleus M Single Motor



161,00 €

List Price: US\$ 300,00

**Special Price:** 

#### WLC-T03-BC • NEW

Nucleus-M Battery Charger



17,00 €

List Price: US\$ 35,00

**Special Price:** 

#### WLC-T03-K1 • NEW





ecial Price:

<u>419,00</u>

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.





- all offers from you will be considered, even if they do not meet our price suggestion -



- all offers from you will be considered, even if they do not meet our price suggestion -



- Any offer from you will be considered -

#### Front attachment for Sony HVR-Z1U & FX1 (bayonet mount):

Brand-NEW, full warranty

#### **OVS-06WA-HDS Wide angle converter**

Ideal for shooting situations in which zooming isn't needed, the Century Precision Optics - VS-06WA-HDS 0.6x wide-angle converter lens for Sony HDR-FX1 HDV camcorders (bayonet mount) attaches to the front of your video zoom lens for 40% wider angle of view and minimal distortion. It allows partial zooming up to mid-range while in Auto Focus (loses focus beyond 6X). The resulting focal length is 2.7-16.2mm. with increased horizontal angle of view). List Price: 419.00 €

#### **Special Price:**

#### **OVS-16TC-HDS Tele converter 1.6X**

This Century Precision Optics 1.6x Telephoto Converter Lens is for Sony HDR-FX1 & HVR-Z1U camcorders. The lens bayonets directly to the cameras lens. The 1.6X Teleconverter instantly shifts the focal length range in the telephoto direction without light loss.

- Bayonet mounts attaches directly to the lens of the Sony HDR-FX1 & HVR-Z1U camcorders
- Multi-coated glass elements deliver ultra-sharp images free of unwanted distortion or chromatic aberration

#### List Price: 877,00 €

**Special Price:** 

#### **OVS-20TC-HDS Tele converter 2-times**

This Century Precision Optics 2x Telephoto Converter Lens is for the Sony HDR-FX1 & HVR-Z1U camcorders. The lens bayonets directly to the cameras lens. The 2X Teleconverter instantly shifts the focal length range in the telephoto direction without light loss. This converter lens offers partial zoom through capability.

- Provides a 2x Telephoto view
- 4 Elements in 3 groups
- Bayonet mounts attaches directly to the lens of the Sony HDR-FX1 & HVR-Z1U camcorders
- Multi-coated glass elements deliver ultra-sharp images free of unwanted distortion or chromatic aberration

#### List Price: 1.326.00 €

#### **Special Price:**

#### - Any offer for complete stock will be considered. -





170,00 €









#### Front attachment for Panasonic DVX100 (bayonet mount):

#### **OVS-06WA-DVX Wide angle converter**

Ideal for shooting situations in which zooming is not needed. The .6X attaches to the front of your video zoom lens for 40% wider angle of view and minimal distortion.

#### List Price: 419,00 €

**Special Price:** 

#### **OHD-20TC-DVX** Tele converter 2-times

This Century Precision Optics 2x Telephoto Converter Lens is for the Panasonic AG-DVX100A and AG-DVX100 camcorders. The lens bayonets directly to the cameras lens. The 2X Teleconverter instantly shifts the focal length range in the telephoto direction without light loss. This converter lens offers partial zoom through capability.

- Provides a 2x Telephoto view
- 4 Elements in 3 groups
- Bayonet mounts attaches directly to the lens of the AG-DVX100A and AG-DVX100 camcorders
- Multi-coated glass elements deliver ultra-sharp images free of unwanted distortion or chromatic aberration

#### List Price: 1.326,00 €

**Special Price:** 

#### **OVS-FEWA-DVX** Fisheye adapter

This 2.3mm f/1.6 Fisheye Adapter gives the widest possible angle of view & pronounced barrel distortion. The Fish eye exaggerates depth, pulling nearby objects closer and causing distant object to recede into the background.

#### List Price: 509,00 €

**Special Price:** 

Front attachment for Sony HVR-V1 & FX7 (bayonet mount):

#### **OHD-65CV-SH6 Wide angle converter**

The Century Precision Optics OHD-65CV-SH6 is a 0.65X wide angle converter attachment. This lens attaches to the front of your video zoom lens for 35% wider angle of view. This device is a zoom through converter attaching to the Sony HVR-V1U and the HDR-FX7.

#### List Price: 526.00 €

**Special Price:** 

- Any offer for complete stock will be considered. -



#### All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.









DV SUPER FISHEYE ADA

105,00 €

109,00 €



#### Brand-NEW, full warranty

**Camera Lenses** 

#### Front attachment for Sony HVR-V1 & FX7 (bayonet mount):

#### **OHD-55WA-SH6 Wide angle converter**

Ideal for shooting situations in which zooming isn't needed. The .55X attaches to the front of your video zoom lens for 45% wider angle of view and minimal distortion.

It allows partial zooming up to mid-range while in Auto Focus (loses focus beyond 6X). The resulting focal length is 2.15-21.5mm with increased horizontal angle of view.

#### List Price: 351,00 €

**Special Price:** 

#### **OHD-20TC-SH6 Tele converter 2-times**

The Century Precision Optics OHD-20TC-SH6 is a 2.0x Telephoto Converter Lens for the Sony HVR-V1U and HDR FX7 camcorders. The lens bayonets directly to the zoom lens. The 2.0X HR Teleconverter instantly shifts the focal length range in the telephoto direction without light loss. This converter lens offers zoom through capability. This attachment provides a 2.0x Telephoto extension of the camera lens.

#### List Price: 1.326,00 €

**Special Price:** 

#### **OHD-16TC-SH6** Tele converter 1.6X

The Century Precision Optics OHD-16TC-SH6 is a 1.6x Telephoto Converter Lens for the Sony HVR-V1U and HDR FX7 camcorders. The lens bayonets directly to the zoom lens. The 1.6X HR Teleconverter instantly shifts the focal length range in the telephoto direction without light loss. This converter lens offers zoom through capability.

#### List Price: 881,00 €

**Special Price:** 

#### **OHD-FEAD-SH6** Fisheye adapter

This Century Precision Optics OHD-FEAD-SH6 HD Fisheye Adapter Lens works with the Sony HDR-FX7 & HVR-V1U camcorders. The Fisheye produces an extraordinary degree of barrel distortion. This economical attachment will offer a good quality distortion at the wide end of the zoom.

#### List Price: 509,00 €

**Special Price:** 

#### - Any offer for complete stock will be considered. -

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.





270,00 €

75,00€



180,00 €





#### Brand-NEW, full warranty Front attachment for Canon XL2-16X (bayonet mount):

#### **OVS-07CV-MXL Wide angle converter**

Century's .7X Wide Angle Converter attaches quickly to the front of your XL1's 16:1 zoom, offering a 30% wider angle of view and full zoom-thru capabilities. The .7X shifts the focal length range from 5.5 - 88mm to 3.85-61.6mm - with no appreciable light loss.

List Price: 749,00 €

**Special Price:** 

#### **OVS-06WA-MXL Wide angle adapter**

6X Wide Angle Adapter, 16x Manual. Ideal for shooting situations in which zooming isn't needed. The .6X attaches to the front of your video zoom lens for 40% wider angle of view and minimal distortion. This is a non-zooming adapter.

List Price: 419,00 €

**Special Price:** 

#### **OVS-FEWA-MXL** Fisheye adapter

Century's Fisheye Adapter produces an extraordinary degree of barrel distortion with a magnification factor of approximately .55x. While extreme telephoto shots tend to flatten the subject against the background, the Fisheye exaggerates depth, pulling nearby objects closer and causing distant objects to recede into the background. Comes in our popular Bayonet Mount that attaches with a twist to the front of the lens.

List Price: 509,00 €

**Special Price:** 

#### Front attachment for Sony VX-2100, PD150/170 (bayonet mount):

#### **ODS-65CV-SB Wide angle converter**

A great tool for capturing a wider angle of view while maintaining full zoom capabilities the Century Precision Optics DS-65CV-SB 0.65x Wide Angle Converter Lens attaches to the front of your zoom lens for 35% more coverage when set to wide-angle, telephoto, or anywhere in between. The Digital Series is a family of high quality lenses available in a bayonet mount for use on DV camcorders, like the Sony DSR-PD150, DSR-PD170, DCR-VX2000, DCR-VX2100 & DSR-250.

List Price: 462,00 €

**Special Price:** 

- Any offer for complete stock will be considered. -



89,00 €





149,00 €

79,00 €









#### Brand-NEW, full warranty

#### Front attachment for Sony HVR-V1 & FX7 (bayonet mount):

#### **ODS-20TC-SB** Tele converter 2-times

Fitted on the front of your zoom lens, the Century Precision Optics DS-20TC-SB 2x TeleConverter Lens instantly doubles your lens' focal length, making it easy to capture far-away action close-up. The Digital Series is a family of high quality lenses available in a Bayonet Mount version for use on camcorders and palmcorders, like the Sony DCR-VX2000, DSR-PD150 and DSR-250.

#### List Price: 946,00 €

**Special Price:** 

#### Front attachment for Sony VX1000, DSR200 (bayonet mount):

#### **ODS-65CV-00 Wide angle converter**

Here's the tool for capturing a wider angle of view while maintaining full zoom capabilities. The .65X Wide Angle Converter attaches to the front of your video zoom lens via bayonet mount for 35% more coverage when set to wide angle, telephoto, or anywhere in between. f/1.6,  $64^{\circ}$ - $10^{\circ}$ , 28.6-286mm

#### List Price: 424,00 €

**Special Price:** 

#### **ODS-LCWS-DVX LCD Widescreen converter**

This add-on is ideal for viewing LCD screens when using 16:9 widescreen adapters. It is used to optically correct the 16:9 image that has been squeezed on the 4:3 screen. The LCD Widescreen Magnifier also magnifies the image and protects from stray sunlight. Compatible with: Sony PD170/150, VX2100/2000, Canon GL2/GL1, JVC GY-DV300U etc. (For use with the Century DS-1609-xx attachments)

#### List Price: 167,00 €

**Special Price:** 

#### **ODS-LCDM-00 LCD Magnifier for Monitor**

The Century DS-LCDM-00 is a magnifying unit for pro-sumer camcorders with 2.5-inch LCD monitors. The magnifying glass increases the image by 1.7x the original size. The unit is particularly aimed at attaching to the Sony VX-2000, VX-2100, DSR-PD150, DSR-PD170 and the Canon GL-1 and GL-2 camcorders.

#### List Price: 167,00 €

**Special Price:** 

#### - Any offer for complete stock will be considered. -

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.





84,00 €





#### Brand-NEW, full warranty

#### Front attachment for Sony HVR-Z1U & FX1 (bayonet mount):

#### **OVS-FEWA-HDS Fisheye adapter**

The Century Precision Optics 0.55X HD Fisheye Adapter offers an extreme fisheye effect with a high degree of barrel distortion. Attaching directly to the bayonet mount of Sony's HDR-FX1 and HVR-Z1U HDV camcorders, the lens exaggerates depth by pulling nearby objects closer and causing distant objects to recede into the background. Its ability to capture extreme action shots makes this adapter a must for action sports shooters

#### List Price: 509,00 €

**Special Price:** 

#### Front attachment for Panasonic HVX 200 (bayonet mount):

#### OHD-75CV-HVX 0.75X Wide angle converter

This Century Precision Optics 0.75x Wide Angle Auxiliary Lens is for the Panasonic HVX200 camcorder. The wide angle coefficient is 0.75x, which delivers a 25% wider angle than your stock lens. The resulting focal length is 3.15-41.3mm with a 74.6-6.7° horizontal angle of view. This lens will bayonet mount directly to the lens of the HVX200 and has full zoom through.

#### List Price: 1.056,00 €

**Special Price:** 

#### **OHD-06WA-HVX Wide angle converter**

This Century Precision Optics 0.6x Wide Angle Auxiliary Lens is for the Panasonic HVX200 camcorder. The wide angle coefficient is 0.6x, which delivers a 40% wider angle than your stock lens. The resulting focal length is 2.5-14.9mm with a 87.7-18.3° horizontal angle of view. This lens will bayonet mount directly to the lens of the HVX200.

#### List Price: 419,00 €

**Special Price:** 

#### **OHD-20TC-HVX Tele Converter 2X**

This Century Precision Optics 2x Telephoto Converter Lens is for the Panasonic HVX200 camcorder. The lens bayonets directly to the cameras lens. The 2X Teleconverter instantly shifts the focal length range in the telephoto direction without light loss. This converter lens offers partial zoom through capability.

- Provides a 2x Telephoto view
- 4 Elements in 3 groups
- Bayonet mounts attaches directly to the lens of the Panasonic HVX200 camcorder
- Multi-coated glass elements deliver ultra-sharp images free of unwanted distortion or chromatic aberration

#### List Price: 1.326,00 €

**Special Price:** 

#### - Any offer for complete stock will be considered. -

### SCNY HOU

105,00 €





# RINAY PRO SERIES HD 2X TELE-CONFER





79,00 €



#### Brand-NEW, full warranty

#### Century front attachment with 37 mm screw-mount:

#### **ODS-HR20-37** Tele converter 2-times

This Century Precision Optics 2x Telephoto Converter Lens is for MiniDV camcorders with 27-37mm lens fronts. The lens attaches directly to the filter thread of their existing lens. The 2X HR Teleconverter instantly shifts the focal length range in the telephoto direction without light loss. This converter lens offers zoom through capability. Provides a 2x Telephoto view, 4

List Price: 328,00 €

**Special Price:** 

Elements in 4 groups, fits directly onto any lens with a 27-37mm filter thread

#### 93,00 €

#### Century front attachment with 58 mm screw-mount

#### **ODS-65CV-58 Wide angle converter**

These accessories are available in 58mm screw-mount version that threads directly on to camcorders featuring a 58mm front thread. Century also offers an assortment of Step Rings to accommodate front lens diameters from 43-58mm. Ideal for JVC GY-DV300U, JY-HD10U, Sony DCR-TRV900, DSR-PD100, VX2100/VX2000, DSR-PD170/PD150, Canon GL2 & GL1. Here's the tool for capturing a wider angle of view while maintaining full zoom capabilities. The .65X Wide Angle Converter attaches to the front of your video zoom lens for 35% more coverage when set to wide angle, telephoto, or anywhere in between.



58,00 €

160,00 €

46,00 €

#### List Price: 295,00 €

**Special Price:** 

#### ODS-FEWA-58 Ultra Fisheye 0.3X

The Century Precision Optics DS-FEWA-58 0.3x Ultra Fish-eye Adapter Lens gives you an extreme fish-eye effect and a high degree of barrel distortion. It exaggerates depth by pulling nearby objects closer and causing distant objects to recede into the background. Ideal for capturing extreme action shots, the DS-FEWA-58 gives you a wide viewing angle of 130;° (180° diagonally). Magnification: 0.3x, Zoom Through:

Yes - partial, Rear Mount Diameter 58mm, Front Mount Diameter 112mm Note: Will not work on Canon GL-1, Sony VX-2000 or PD-150.



List Price: 834,00 €

**Special Price:** 



0AD-5870-00 + 7.0 diopter, 58 mm srew-mount

List Price: 231,00 €

**Special Price:** 

#### - Any offer for complete stock will be considered. -



#### Brand-NEW, full warranty

#### **Century Broadcast IF lens accessories**

#### **OWA-8XLC-00 Wide angle converter incl. 85 mm adapter**

This Century Precision Optics OWA-8XLC-00 is a clamp-on wide angle converter lens compatible with Canon and Fujinon 18x, 19x and 20x broadcast lenses. It features a wide angle coefficient of 0.8x, which delivers a 20% wider angle than the stock lens. When added to an 8.5-119mm lens the converter, it alters the focal length range to 7-98mm. This is especially advantageous when shooting in tight spaces. This lens has full zoom through capability. An 85mm clamp-on ring is included.

List Price: 881,00 €

**Special Price:** 

#### OTC-16LC-85 Tele converter 1.6X incl. 85 mm adapter

This Century Precision Optics 1.6x Telephoto Converter Lens is for any lens with an outside diameter of 85mm. The converter clamps to the front of the lens. The 1.6X HR Teleconverter instantly shifts the focal length range in the telephoto direction without light loss. This converter lens offers zoom through capability.

#### List Price: 881,00 €

**Special Price:** 

#### **OWA-FESU-RD** Fisheye adapter incl. 80 mm adapter

This Century Precision Optics WA-FESU-RD is a fisheye adapter lens for Fujinon 16x lens on the JVC GY-HD100/110/200/250. This lens gets you the widest view possible, with extreme barrel distortion. It exaggerates depth, pulling nearby objects closer, and causing distant objects to recede into the background. Has a magnification factor of 0.55X offering a super spherical fisheye effect.

List Price: 1.168,00 €

**Special Price:** 

#### **OWA-8XCV-00 Wide Converter (without clamp mount)**

The .8x Wide Converter attaches quickly to the front of a zoom lens, effectively shortening its focal length while maintaining full zoom capabilities. Attach the .8x to the front of a lens for 20% more coverage when set to wide angle, telephoto or anywhere in between. For example, when added to an 8.5-119mm lens, the .8x Wide Converter alters the focal range to 7-98mm. This can be especially advantageous when shooting in confined quarters.

#### List Price: 1.672,00 €

**Special Price:** 

- Any offer for complete stock will be considered. -



## TELE-CONVERT



230,00 €

CENT

179,00 €

WA-8XLC



#### 326,00 €

Tel +49 (0)89 - 356 16 01 /info@dedoweigerffilm.de / www.dedoweigerffilm.de

-NEW, full warranty ary Slip-on adapter ring K: 90 mm, 80 mm, 75 mm allows you to attach the following Century attachments to a lens with a 75mm front diameter: DE ANGLE ADAPTER SET, 7X WIDE ANGLE ADAPTER, CONVERTER, .8X WIDE ANGLE CONVERTER 75-00 screws into the thread of the attachment, and then slips onto the camera lens. by a single stainless steel lock screw. •••• <b>Cal Price:</b>	FA-7X75
<b>K: 90 mm, 80 mm, 75 mm</b> rallows you to attach the following Century attachments to a lens with a 75mm front diameter: DE ANGLE ADAPTER SET, .7X WIDE ANGLE ADAPTER, CONVERTER, .8X WIDE ANGLE CONVERTER 75-00 screws into the thread of the attachment, and then slips onto the camera lens. by a single stainless steel lock screw.	FA-7x75
a allows you to attach the following Century attachments to a lens with a 75mm front diameter: DE ANGLE ADAPTER SET, .7X WIDE ANGLE ADAPTER, CONVERTER, .8X WIDE ANGLE CONVERTER 75-00 screws into the thread of the attachment, and then slips onto the camera lens. by a single stainless steel lock screw.	FA-7x75
DE ANGLE ADAPTER SET, .7X WIDE ANGLE ADAPTER, CONVERTER, .8X WIDE ANGLE CONVERTER 75-00 screws into the thread of the attachment, and then slips onto the camera lens. by a single stainless steel lock screw.	FA-7X75
al Price:	
	39,00 €
K: 95 mm, 98 mm, 90 mm, 86 mm, 80 mm ∞ ∈	
al Price:	56,00 €
<b>Κ: 75 mm, 80 mm, 85 mm, 90 mm</b> ∞ ε	
al Price:	66,00 €
K-20-00: 100 mm Klemmadapter	

#### Century step-up rings

82 - 86 mm and 77 - 80 List Price: 82,00 €	6 mm	67 - 72 mm, 62 - 77 mm, 62 - 72 mm List Price: 39,00 €			
Special Price:	39,00 €	Special Price:	19,00 €		
Century tele extender OXA-C212-00 2-fold, Canon FD, 1/2 Bayonet, Phased-out model List Price: 865,00 €					
Special Price:			240,00 €		

- Any offer for complete stock will be considered. -

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.

# 30,00 €

Tel +49 (0)89 - 356 16 01 /info@dedoweigertfilm.de / www.dedoweigertfilm.de

- Any offer for complete stock will be considered. -



#### Brand-NEW, full warranty

#### The wide angle lens

converters that prove that superb optical quality and affordable prices are not mutually exclusive concepts.

#### TPWA-65B with bayonet mount for Sony VX2000 / PD150/170

- Highest quality
- 3 Multi-coated elements
- Effectively shortens the focal length of the original zoom by a factor of 0.65

Distortion 3.7%

- Fully zoomable no vignetting
- Bayonet mount for
- Sony VX2000/PD150

#### List Price: 330.00 €

**Special Price:** 

#### TPWA-65S with 58 mm connecting thread

- Highest quality
- 3 Multi-coated elements coating
- Effectively shortens the focal length of the original zoom by a factor of 0.65
- Distortion 3.7%
- Fully zoomable no vignetting
- 58 mm screw mount or universal with adapter

#### List Price: 316.00 €

**Special Price:** 

#### TPWA-05S with 58 mm connecting thread

- 3 Element anti-reflex coating
- Effectively shortens the focal length of the original zoom by a factor of 0.65
- Fully zoomable no vignetting
- Distortion 7%
- Rear element usable as macro lens
- 58mm screw mount or universal with adapter

#### List Price: 143,00 €

**Special Price:** 

#### TPWA-04S with 58 mm connecting thread

- Aspherical lens
- Anti-Reflex coating
- Effectively shortens the focal length of the original zoom by a factor of 0.55
- 50% Zoomable
- Distortion 10.1%
- No vignetting

 Fully zoomable Distortion 6.9%

■ 58mm screw mount or universal with adapter

#### List Price: 130,00 €

#### **Special Price:**

#### TPWA-05/37 with 37 mm connecting thread

- 3 Element anti-reflex coating
- Effectively shortens the focal length of the original zoom by a factor of 0.65

#### List Price: 69,00 €

#### **Special Price:**

Rear element usable as macro lens 37mm screw mount or universal with adapter

#### 30,00 €















#### Angenieux Zoom 16-44 mm, T1.2

PL Mount



#### **Special Price:**

300,00 €

#### **Century Tele Athenar 300 mm**

T3.2, Arri Standard Mount



#### **Special Price:**

950,00 €

#### Cooke miniS4 75mm

PL Mount, metrische focus Skala





#### List Price: 5.200,00 €

**Special Price:** 

3.990,00 €

#### DZO Catta Zoom

ce FF Bundles 35-80/70-135 T2.9 - PL/EF Mount (Black) imperial scale (with case)



**Special Price** 

m

#### Lindsey Optic NEW Set of 3 Lindsey Optic Brilliant Macro Attachment Lense

with carrying case and lens adapters.

#### Brilliant Macro +1 Aspheric

#### Brilliant Macro +2

#### Brilliant Macro +3

- Brilliant Adapter M100 x 0.75 x 23L Schneider
   50mm
- Brilliant Adapter M105 x 0.75 x 44.5L Cooke 5i 5
- Brilliant Adapter M105 x 0.75 x 9.5L Cooke 5i 100n
- Brilliant Adapter M100 x 0.75 x 23L Schneider Cine-Xend 50mm
- Brilliant Adapter M100 x 0.75 x 48.5L Zeiss Ultra Prime 100mm – Leica
- Brilliant Adapter M100 x 0.75 x 37.5L Zeiss UP 50mm -85mm - Schneider Xenar 75mm - 95mm
- Brilliant Adapter M95 x 1.0 x 50.5L Schneider Xenon Prime
- Brilliant Adapter M105 x 0.75 x 31.5L Cooke 5
- 2x Brilliant Macro Stacking Adapter
- Brilliant Compression Ring Clamp 104mm Bo 0.75 Female

5" Filter

- M82 Brilliant Macro Adapter
- M100 to114mm Brilliant Clamp Ada
- Lever Clamp Adapter 110mm Barr

#### List Price: 4.500,00 €

#### **Special Price:**

Vario S nar 10-100mm T 1.2 ARRI BA



300,00 €

1.900,00 €

#### High-class endoscope, length 90 cm

Others



This endoscope was originally manufactured by French company Efer. The system can be used with a fibre light guide and an external light source (not included). The focusing device and camera adapter was manufactured by us. The thread for the camera adapter has a diameter of 56.6 mm. At this moment, we're still looking, whether we can find any of the camera adapters, that we previously manufactured. This device can be supplied incl. a sturdy aluminium transport case.



#### **Special Price:**

#### 260,00 €

#### - Any offer from you will be considered -



#### Brand-NEW, full warranty

Azden - SGM-3416

Broadcast spec. Prof. micro - for Video and Audio. Handcrafted in Japan. Super cadioid pattern

#### List Price: 599,00 €

**Special Price:** 

#### Azden - SGM-250



#### List Price: 189,00 €

**Special Price:** 


#### 49,00 €





#### - Any offer from you will be considered -

All prices are ex stock Munich, excluding V.A.T. All specifications and prices are subject to change without prior notification.



**Special Price:** 





#### **Dedo Weigert Film GmbH**

Karl-Weinmair-Str. 10 80807 Munich / Germany Tel.: +49 89 356 16 01 www.dedoweigertfilm.de info@dedoweigertfilm.de