

## DCOLM - DEDOCOLOR RGBWW SOFTPANEL



## dedocolor – the perfect powerful and versatile LED - multicolor panel:

dedocolor multicolor LED panels incorporate a RGBWW LED (RBG + two white sources daylight and tungsten). Each color can be individually adjusted to generate 16.7 million colors in total. The dedocolor multicolor LED panels enable fast working pace by dialing in color hues rather than adding extra color gel at the front of the fixture.

- proprietory LED array: daylight + tungsten + RGB
- all accessories available
- built in powersupply for AC and DC
- manual and smart control: DMX, Artnet, LumenRadio + Bluetooth
- built in color effects selectable by filter number (Rosco / Lee)
- built in Effects engine





🖬 🚺 🏧 🎆 훩 🌄 45 °C			B I mx Mark I S ℃ X			🖬 🚦 🚥 🏽 😵 🎦 45 °C 🗙			💼 🚺 🏧 🎆 🖇 🎦 45 °C 🗙		
ССТ	RGB	Effects	DMX	ССТ	DIM	R	G	В	Li	ght Effect	
*dedocolor			001	3250	100	255	100	0 100	Can	Candle-Warmer	
								100	Play		
			G/M		0	DM		DIM	Speed	45	
Filters	User	Setup	2700	3200 44	00 5600	00	1	100	DIM	100	

## **DCOLM** technical data

beamangle:	115°						
intensity:	9.738lx/1m, 1.087lx/3m @ 5600K; 8.415lx/1m 935/3m @ 3200K						
brightness control:	PWM 0.1-100%						
LED Source:	dedocolor tailor made high intensity and high CRI RGBWW LEDs (TLCI>98)						
control:	Dimming, CCT & Color adjustment manually, DMX512-1990, Artnet or LumenRadio + Bluetooth						
mode:	White Mode, Color Mode, Effects Mode						
power:	input AC 90~264V (max. 400W), DC 28-32V						
dimension:	645x300 mm front surface, 830x450x200mm fixture						
total weight:	10 kg						





## Dedo Weigert Film GmbH

Karl-Weinmair-Straße 10 D-80807 Munich, Germany Phone: +49-(0)89-3561601 Fax: +49-(0)89-3566086 info@dedoweigertfilm.de www.dedoweigertfilm.de